Biochimie (1997) 79, 65–75
© Société française de biochimie et biologie moléculaire / Elsevier, Paris

Author index 1996

A

Abe H, Aiba H, Differential contributions of two elements of rho-independent terminator to transcription termination and mRNA stabilization, 1035
Adamiak RW – See Zagórowska I *et al*, 123
Adediran SA, Kinetic and thermodynamic properties of two electrophoretically similar genetic variants of human erythrocyte glucose-6-phosphate dehydrogenase, 165
Aiba H – See Abe H and Aiba H, 1035
Al-Jafari AA – See Duhaiman AS *et al*, 46 – See Alhomida AS *et al*, 204
Alhomida AS – See Duhaiman AS *et al*, 46 – Alhomida AS, Al-Jafari AA, Duhaiman AS, Rabbani N, Junaid MA, Kinetic properties of purified carnitine acetyltransferase from the skeletal muscle of Arabian camel (*Camelus dromedarius*), 204
Amalric F – See Serin G *et al*, 530
Anagnostides S – See Karamanos NK *et al*, 171
Anderson PE, Matsunaga J, Simons EL, Simons RW, Structure and regulation of the *Salmonella typhimurium rnc-era-recO* operon, 1025
Antoine E – See Forné T *et al*, 436
Antonopoulos CA – See Karamanos NK *et al*, 171
Aoki H – See Ganoza MC *et al*, 51
Arai K – See Masai H *et al*, 1109
Arakaki T – See Pochapsky TC *et al*, 723
Araya A – See Blanc V *et al*, 511
Archakov AI – See Davydov DR *et al*, 734 – See Kolesanova EF *et al*, 752
Arraiano CM – See Cruz AA *et al*, 227
Asano K – See Hershey JWB *et al*, 903
Atkins JF – See Felden B *et al*, 979
Auxilien S – See Grosjean H *et al*, 488

B

Bachellerie JP – See Cavaillé J and Bachellerie JP, 443
Barciszewska MZ – See Opiola T *et al*, 108
Barciszewski J – See Krzyzaniak A *et al*, 862
Bazan A, Fraeyman N, Use of elastase as an internal standard in immunoblotting techniques, 273
Beaud G – See Domi A *et al*, 654
Becker J, Brendel M, Molecular cloning and characterization of the *pyrB* gene of *Lactobacillus leichmannii* encoding aspartate transcarbamylase, 3
Becker HF – See Grosjean H *et al*, 488
Bentolila S, A grammar describing 'biological binding operators' to model gene regulation, 335
Bieth E – See Cholin S *et al*, 882
Biville F – See Turlin E *et al*, 822
Blanc V, Jordana X, Litvak S, Araya A,, 511
Blanquet S – See Schmitt E *et al*, 543
Bocchini V – See Raimo G *et al*, 832
Bonkovsky HL – See Hong Lu T *et al*, 236
Bouche G – See Serin G *et al*, 530
Bouvet P – See Serin G *et al*, 530
Bozzi A – See Impagnatiello A *et al*, 267
Branlant C – See Szkukalek A *et al*, 425
Braun F – See Hajnsdorf E *et al*, 416
Bremaud L – See Laalami S *et al*, 577
Brendel M – See Becker J *et al*, 3
Bresson-Roy A – See Trotot P *et al*, 277
Brody E – See Gallego ME *et al*, 457
Brossalina E – See Toulmé JJ *et al*, 663
Brunel C – See Forné T *et al*, 436
Burkhardt N – See Ganoza MC *et al*, 51
Bénard L, Philippe C, Ehresmann B, Ehresmann C, Portier C, Pseudoknot and translational control in the expression of the S15 ribosomal protein, 568
Böck A – See Hilgenfeld R *et al*, 971

C

Cabrera-Crespo J – See Wolff P *et al*, 190
Cahoreau C – See Cholin S *et al*, 882
Canioni P – See Portais JC *et al*, 155
Carbon P – See Hubert N *et al*, 590
Carpousis AJ – See Raynal LC *et al*, 390
Cathala G – See Forné T *et al*, 436
Cavaillé J, Bachellerie JP, Processing of fribrillarin-associated snoRNAs from pre-mRNA introns: An exonucleolytic process exclusively directed by the common stem-box terminal structure, 443
Cavarelli J – See Rees B *et al*, 624
Cenatiempo Y – See Raingeaud J *et al*, 14 – See Laalami S *et al*, 577
Cerruti M – See Cholin S *et al*, 882
Chaciñska A – See Góra M *et al*, 144
Chang YT, Stiffelman OB, Loew GH, Computer modeling of 3D structures of cytochrome P450s, 771
Chebotareva NA – See Eronina TB *et al*, 253
Chenker E – See Wolff P *et al*, 190
Chiaruttini C, Milet M, de Smit M, Springer M, Translational coupling in the *Escherichia coli* operon encoding translation initiation factor IF3 and ribosomal proteins L20 and L35, 555
Cho SW, Lee JE, Modification of brain glutamate dehydrogenase isoproteins with pyridoxal 5′-phosphate, 817
Cholin S, Bieth E, Molinas C, Cahoreau C, Perals C, Cerruti M, Devauchelle G, Rochiccioli P, Tauber M, Expression of a recombinant human growth hormone binding protein in baculovirus/insect cell system, 882
Ciesiolka J – See Michalowski D *et al*, 131
Clark BFC – See Nissen P *et al*, 921
Clouet d'Orval B – See Gallego ME *et al*, 457
Collado-Vides J, Towards a unified grammatical model of σ70 and σ54 bacterial promoters, 351
Condon C, Grunberg-Manago M, Putzer H, Aminoacyl-tRNA synthetase gene regulation in *Bacillus subtilis*, 381
Constantinesco F – See Grosjean H *et al*, 488
Corbin A, Darlix JL, Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632
Corda Y – See Grosjean H *et al*, 488
Cosset A – See Dietrich A *et al*, 518
Crain PF – See Ushida C *et al*, 847
Crawford DJG – See Tate WP *et al*, 945
Cruz AA, Marujo PE, Newbury SF, Arraiano CM, RNase E can inhibit the decay of some degradation intermediates: Degradation of *Desulfovibrio vulgaris* cytochrome c3 mRNA in *E coli*, 227

D

d'Aubenton-Carafa Y – See Vignal L *et al*, 327 – See Gallego ME *et al*, 457
Dai XQ – See Kudo T *et al*, 792
Dalphin ME – See Tate WP *et al*, 945
Danchin A – See Trotot P *et al*, 277
Danchin A, By way of introduction: Some constraints of the cell physics that are usually forgotten, but should be taken into account for *in silico* genome analysis, 299
Dardel F – See Schmitt E *et al*, 543
Darden TA – See Negishi M *et al*, 685
Darlix JL – See Corbin A and Darlix JL, 632
Dauchet M – See Rivals E *et al*, 315
Davydov DR, Knyushko TV, Kanaeva IP, Koen YM, Samenkova NF, Archakov AI, Hui Bon Hoa G, Interactions of cytochrome P450 2B4 with NADPH-cytochrome P450 reductase studied by fluorescent probe, 734
Davydova NL – See Gryaznova OI *et al*, 915
de Smit M – See Chiaruttini C *et al*, 555
Deckert J, Jelenska J, Gwózdz EA, Legocki AB, The isolation of lupine cDNA clone coding for putative cyclin protein, 90
Delahaye JP – See Rivals E *et al*, 315 – See Rivals E *et al*, 315
Devauchelle G – See Cholin S *et al*, 882
Dietrich A, Small I, Cosset A, Weil JH, Maréchal-Drouard L, Editing and import: Strategies for providing plant mitochondria with a complete set of functional transfer RNAs, 518
Domi A, Beaud G, Favre A, Transcripts containing a small anti-HIV hammerhead ribozyme that are active in the cell cytoplasm but inactive *in vitro* as free RNAs, 654
Dreyfus M – See Lopez PJ *et al*, 408
Drózdz M – See Skop B *et al*, 103
Duhaiman AS, Alhomida AS, Rabbani N, Kamal MA, Al-Jafari AA, Purification and characterization of acetylcholinesterase from desert cobra (*Walterinnesia aegyptia*) venom, 46 – See Alhomida AS *et al*, 204
Dunn IS, Mammalian cell binding and transfection mediated by surface-modified bacteriophage lambda, 856
Durosay P – See Gallego ME *et al*, 457 – See Lanchy JM *et al*, 1087

E–F

Ehresmann B – See Bénard L *et al*, 568 – See Paillart JC *et al*, 639
Ehresmann C – See Bénard L *et al*, 568 – See Paillart JC *et al*, 639 – See Lanchy JM *et al*, 1087
Erdmann VA – See Krzyzaniak A *et al*, 862
Eriani G – See Giegé R *et al*, 605
Eronina TB, Livanova NB, Chebotareva NA, Kurganov BI, Luo S, Graves DJ, Deimination of glycogen phosphorylase b by peptidylarginine deiminase. Influence on the kinetical characteristics and dimer-tetramer transition, 253
Expert-Bezançon A – See Gallego ME *et al*, 457
Fasiolo F – See Senger B *et al*, 597
Faucher C – See Serin G *et al*, 530
Favre A – See Domi A *et al*, 654
Favre G – See Gueddari N *et al*, 874
Felden B, Himeno H, Muto A, Atkins JF, Gesteland RF, Structural organization of *Escherichia coli* tmRNA, 979
Florentz C – See Giegé R *et al*, 605
Foiret D – See Grosjean H *et al*, 488
Forné T, Labourier E, Antoine E, Rossi F, Gallouzi I, Cathala G, Tazi J, Brunel C, Structural features of U6 snRNA and dynamic interactions with other spliceosomal components leading to pre-mRNA splicing, 436
Foucher B – See Lançar-Benba J *et al*, 195
Fournier M – See Grosjean H *et al*, 488
Fourrey JL – See Grosjean H *et al*, 488
Fraeyman N – See Bazan A and Fraeyman N, 273
Fraichard A, Trossat C, Perotti E, Pugin A, Allosteric regulation by Mg^{2+} of the vacuolar H^{+}-PPase from *Acer pseudoplatanus* cells. Ca^{2+}/Mg^{2+} interactions, 259
Franceschini N – See Impagnatiello A *et al*, 267
Friant S, Heyman T, Wilhelm M, Wilhelm FX, Role of RNA primers in initiation of minus-strand and plus-strand DNA synthesis of the yeast retrotransposon Ty1, 674
Friedman FK – See Koley AP *et al*, 706
Fujiki H – See Kozu T *et al*, 1067
Fujisawa JI – See Kimura T *et al*, 1075
Fukushima M – See Muto A *et al*, 985

Fürste JP – See Krzyzaniak A *et al*, 862

G

Gaasterland T, Sensen CW, Fully automated genome analysis that reflects user needs and preferences. A detailed introduction to the MAGPIE system architecture, 302
Gallego ME, Sirand-Pugnet P, Durosay P, Clouet d'Orval B, d'Aubenton-Carafa Y, Brody E, Expert-Bezançon A, Marie J, Tissue-specific splicing of two mutually exclusive exons of the chicken α-tropomyosin pre-mRNA: Positive and negative regulations, 457
Gallouzi I – See Forné T *et al*, 436
Gallyamov MO – See Yu Uvarov V *et al*, 780
Gangloff J – See Giegé R *et al*, 605
Ganoza MC, Aoki H, Burkhardt N, Murphy BJ, The ribosome as 'affinity matrix': Efficient purification scheme for translation factors, 51
Garber MB – See Gryaznova OI *et al*, 915
Gasser F – See Turlin E *et al*, 822
Gebicka L, Gebicki JL, Modification of horseradish peroxidase induced by hydroxyl radicals. The influence of oxygen, 62
Gebicki JL – See Gebicka L *et al*, 62
Gerdoux-Jamet P, Risler JL, Searching for a family of orphan sequences with SAMBA, a parallel hardware dedicated to biological applications, 311
Gesteland RF – See Felden B *et al*, 979
Ghisolfi L – See Serin G *et al*, 530
Giegé R, Florentz C, Kern D, Gangloff J, Eriani G, Moras D, Aspartate identity of transfer RNAs, 605
Glaser P – See Trotot P *et al*, 277
Gongadze GM – See Gryaznova OI *et al*, 915
Gouy M – See Perrière G *et al*, 364
Graves DJ – See Eronina TB *et al*, 253
Grentzmann G – See Laalami S *et al*, 577
Grosjean H, Auxilien S, Constantinesco F, Simon C, Corda Y, Becker HF, Foiret D, Morin A, Jin YX, Fournier M, Fourrey JL, Enzymatic conversion of adenosine to inosine and to N^1-methylinosine in transfer RNAs: A review, 488
Grunberg-Manago M – See Condon C *et al*, 381
Gryaznova OI, Davydova NL, Gongadze GM, Jonsson BH, Garber MB, Liljas A, A ribosomal protein from *Thermus thermophilus* is homologous to a general shock protein, 915
Grzesiuk E – See Wójcik A *et al*, 85
Grégoire A – See Szkukalek A *et al*, 425
Gudkov AT – See Kolesnikov IV *et al*, 868
Gueddari N, Favre G, Marmouget C, Soula G, Le Gaillard F, Involvement of tyrosine kinase activity in the low-density lipoprotein receptor expression in human lung adenocarcinoma cell line A549, 874
Guillon JM – See Schmitt E *et al*, 543
Gwózdz EA – See Deckert J *et al*, 90
Góra M, Chaciñska A, Rytka J, Labbe-Bois R, Isolation and functional characterization of mutant ferrochelatases in *Saccharomyces cerevisiae*, 144

H

Hajnsdorf E, Braun F, Haugel-Nielsen J, Le Derout J, Régnier P, Multiple degradation pathways of the rpsO mRNA of *Escherichia coli*. RNase E interacts with the 5′ and 3′ extremities of the primary transcript, 416
Hanachi P – See Hershey JWB *et al*, 903
Handa H – See Momose F *et al*, 1103
Hashimoto I – See Kimura T *et al*, 1075
Hatanaka M – See Miyasaki Y *et al*, 1081
Haugel-Nielsen J – See Hajnsdorf E *et al*, 416
Hernandez ML, Martinez MJ, Ochoa B, Role of adenine nucleotides in the activation of microsomal cholesterol ester hydrolase by fructose or adenosine in rat hepatocytes, 26
Hershey JWB, Asano K, Naranda T, Vornlocher HP, Hanachi P, Merrick WC, Conservation and diversity in the structure of translation initiation factor eIF3 from humans and yeast, 903
Heyman T – See Friant S *et al*, 674
Hilgenfeld R, Böck A, Wilting R, Structural model for the selenocysteine-specific elongation factor SelB, 971
Himeno H – See Felden B *et al*, 979
Hong Lu T, Pepe J, Lambrecht RW, Bonkovsky HL, Regulation of metallothionein gene expression. Studies in transfected primary cultures of chick embryo liver cells, 236
Honkakoski P – See Negishi M *et al*, 685
Hou LX, Zhou JX, Creatine kinase: The characteristics of the enzyme regenerated from the thio-methylated creatine kinase reflect a differentiation in function between the two reactive thiols, 219
Hubert N, Walczak R, Sturchler C, Myslinski E, Schuster C, Westhof E, Carbon P, Krol A, RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins, 590
Hui Bon Hoa G – See Davydov DR *et al*, 734 – See Kolesanova EF *et al*, 752

I–J

Impagnatiello A, Franceschini N, Oratore A, Bozzi A, Inhibition studies of S-adenosylhomocysteine hydrolase purified from *Acinetobacter calcoaceticus* ULA-501, 267
Inada T, Nakamura Y, Autogenous control of the *suhB* gene expression of *Escherichia coli*, 209
Inagaki O – See Kawasaki T *et al*, 245
Isaksson LA – See Mottagui-Tabar S *et al*, 953
Isel C – See Lanchy JM *et al*, 1087
Ishihama A, A multifunctional enzyme with RNA polymerase and RNase activities: Molecular anatomy of influenza virus RNA polymerase, 1097
Ishimori K – See Wakasuki K *et al*, 763
Ito K – See Uno M *et al*, 935
Ivanov YD – See Yu Uvarov V *et al*, 780
Jacquier A, Group II introns: Elaborate ribozymes, 474
Jaeger L, Westhof E, Michel F, Function of a pseudoknot in the suppression of an alternative splicing event in a group I intron, 466
Janion C – See Wójcik A *et al*, 85
Janosi L, Ricker R, Kaji A, Dual functions of ribosome recycling factor in protein biosynthesis: Disassembling the determination complex and preventing translational errors, 959
Jelenska J – See Deckert J *et al*, 90
Jin YX – See Grosjean H *et al*, 488
Jonsson BH – See Gryaznova OI *et al*, 915
Jordana X – See Blanc V *et al*, 511
Joseph G – See Serin G *et al*, 530
Julien R – See Raingeaud J *et al*, 14
Junaid MA – See Alhomida AS *et al*, 204
Jung C – See Kolesanova EF *et al*, 752
Jurczak J – See Krzyzaniak A *et al*, 862

K

Kaji A – See Janosi L *et al*, 959
Kaku S – See Kawasaki T *et al*, 245
Kamal MA – See Duhaiman AS *et al*, 46
Kanaeva IP – See Davydov DR *et al*, 734
Karamanos NK, Manouras A, Anagnostides S, Makatsori E, Tsegenidis T, Antonopoulos CA, Isolation, biochemical and immunological characterization of two sea urchin glycoproteins bearing sulphated poly(sialic acid) polysaccharides rich in N-glycolyl neuraminic acid, 171
Karst F – See Szkopinska A *et al*, 111
Kawasaki T, Sakai Y, Taniuchi Y, Sato K, Maruyama K, Shimizu M, Kaku S, Yano S, Inagaki O, Tomioka K, Yanagisawa I, Takenaka T, Biochemical characterization of a new disintegrin, flavostatin, isolated from *Trimeresurus flavoviridis* venom, 245
Kazanis S – See Pochapsky TC *et al*, 723
Keldgaard M – See Nissen P *et al*, 921
Kern D – See Giegé R *et al*, 605
Kimura T, Hashimoto I, Nishikawa M, Fujisawa JI, A role for Rev in the association of HIV-1 gag mRNA with cytoskeletal α-actin and viral protein expression, 1075
Kiselar JG – See Kolesanova EF *et al*, 752
Kiselyova OI – See Yu Uvarov V *et al*, 780
Knyushko TV – See Davydov DR *et al*, 734
Koen YM – See Davydov DR *et al*, 734
Kolesanova EF, Kiselar JG, Jung C, Kozin SA, Hui Bon Hoa G, Archakov AI, Antigenic mapping of bacterial and animal cytochromes P-450, 752
Kolesnikov IV, Protasova NY, Gudkov AT, Tetracyclines induce changes in accessibility of ribosomal proteins to protease, 868
Koley AP, Robinson RC, Friedman FK, Cytochrome P450 conformation and substrate interactions as probed by CO binding kinetics, 706
Kolocheva TI, Levina AS, Nevinsky GA, Recognition of the primers containing different modified nucleotide units by the Klenow fragment of DNA polymerase I from *E coli*, 201
Komori A – See Kozu T *et al*, 1067
Konan KV – See Yanofsky C *et al*, 1017
Konieczny L – See Piekarska B *et al*, 183
Kotrys-Puchalska E – See Skop B *et al*, 103
Kozik A – See Rapala-Kozik M *et al*, 77
Kozin SA – See Kolesanova EF *et al*, 752
Kozu T, Sueoka E, Okabe S, Sueoka N, Komori A, Fujiki H, *In vitro* catalytic activities of DNA/RNA chimeric hammerhead ribozymes againts *AML1-MGT8* mRNA, a fused gene transcript in acute myeloid leukemia with t(8;21), 1067
Krisch HM – See Raynal LC *et al*, 390
Krol A – See Hubert N *et al*, 590
Krzyzaniak A, Fürste JP, Erdmann VA, Salanski P, Jurczak J, Barciszewski J, High pressure effects on conformation of homo- and heteroduplexes of nucleic acids, 862
Krzyzosiak WJ – See Michalowski D *et al*, 131
Kuchino Y – See Ushida C *et al*, 847
Kuchino Y, Muramatsu T, Nonsense suppression in mammalian cells, 1007
Kudo T, Tomura D, Liu DL, Dai XQ, Shoun H, Two isozymes of P450nor of *Cylindrocarpon tonkinense*: Molecular cloning of the cDNAs and genes, expressions in the yeast, and the putative NAD(P)H-binding site, 792
Kurganov BI – See Eronina TB *et al*, 253

L

Laalami S, Grentzmann G, Bremaud L, Cenatiempo Y, Messenger RNA translation in prokaryotes: GTPase centers associated with translational factors, 577
Labbe-Bois R – See Góra M *et al*, 144
Labourier E – See Forné T *et al*, 436
LaGrandeur TE, Parker R, mRNA decapping activities and their biological roles, 1049
Lambrecht RW – See Hong Lu T *et al*, 236
Lanchy JM, Isel C, Ehresmann C, Marquet R, Ehresmann B, Structural and functional evidence that initiation and elongation of HIV-1 reverse transcription are distinct processes, 1087
Lançar-Benba J, Foucher B, Saint-Macary M, Characterization, purification and properties of the yeast mitochondrial dicarboxylate carrier (*Saccharomyces cerevisiae*), 195
Laskowska E, Wawrzynów A, Taylor A, IbpA and IbpB, the new heat-shock proteins, bind to endogenous *Escherichia coli* proteins aggregated intracellularly by heat shock, 117
Lavergne F – See Raingeaud J *et al*, 14

Le Derout J – See Hajnsdorf E *et al*, 416
Le Gaillard F – See Gueddari N *et al*, 874
Le Tinévez R – See Toulmé JJ *et al*, 663
Lee JE – See Cho SW and Lee JE, 817
Lee Ho P – See Wolff P *et al*, 190
Legagneux V – See Paillard L *et al*, 399
Legocki AB – See Deckert J *et al*, 90
Lelievre V – See Raingeaud J *et al*, 14
Levina AS – See Kolocheva TI *et al*, 201
Li H, Poulos TL, Conformational dynamics in cytochrome P450-substrate interactions, 695
Liljas A – See Gryaznova OI *et al*, 915
Lisacek F – See Vignal L *et al*, 327
Litvak S – See Blanc V *et al*, 511
Liu DL – See Kudo T *et al*, 792
Livanova NB – See Eronina TB *et al*, 253
Lobry JR, A simple vectorial representation of DNA sequences for the detection of replication origins in bacteria, 323
Loew GH – See Chang YT *et al*, 771
Lopez PJ, Dreyfus M, The *lacZ* mRNA can be stabilised by the T7 late mRNA leader in *E coli*, 408
Louters LL, Michele DE, Pearson JD, Histone H4 stimulates glucose uptake through the insulin receptor, 39
Luo S – See Eronina TB *et al*, 253
Lyons TA – See Pochapsky TC *et al*, 723

M

Major LL – See Tate WP *et al*, 945
Makatsori E – See Karamanos NK *et al*, 171
Manchester JI, Ornstein RL, Rational approach to improving reductive catalysis by cytochrome P450cam, 714
Mannering SA – See Tate WP *et al*, 945
Manouras A – See Karamanos NK *et al*, 171
Maquat LE – See Stephenson LS and Maquat LE, 1043
Marie J – See Gallego ME *et al*, 457
Marmouget C – See Gueddari N *et al*, 874
Marquet R – See Paillart JC *et al*, 639 – See Lanchy JM *et al*, 1087
Martin RP – See Tarassov IA and Martin RP, 502
Martinez MJ – See Hernandez ML *et al*, 26
Marujo PE – See Cruz AA *et al*, 227
Maruyama K – See Kawasaki T *et al*, 245
Maréchal-Drouard L – See Dietrich A *et al*, 518
Masai H, Arai K, Mechanisms of primer RNA synthesis and D-loop/R-loop-dependent DNA replication in *Escherichia coli*, 1109
Masullo M – See Raimo G *et al*, 832
Mathews MB – See Robertson HD *et al*, 909
Matsunaga J – See Anderson PE *et al*, 1025
McCloskey JA – See Ushida C *et al*, 847
McLean MA, Yeom H, Sligar SG, Carbon monoxide binding to cytochrome P450BM-3: Evidence for a substrate-dependent conformational change, 700
Mechulam Y – See Schmitt E *et al*, 543
Meinnel T – See Schmitt E *et al*, 543
Mephu Nguifo E – See Vignal L *et al*, 327
Merle M – See Portais JC *et al*, 155
Merrick WC – See Hershey JWB *et al*, 903
Michalowski D, Wrzesinski J, Ciesiolka J, Krzyzosiak WJ, Effect of modified nucleotides on structure of yeast $tRNA^{Phe}$. Comparative studies by metal ion-induced hydrolysis and nuclease mapping, 131
Michel F – See Jaeger L *et al*, 466
Michele DE – See Louters LL *et al*, 39
Milet M – See Chiaruttini C *et al*, 555
Millard JT, DNA modifying agents as tools for studying chromatin structure, 803
Mitico Tanaka A – See Wolff P *et al*, 190
Miyasaki Y, Nosaka T, Hatanaka M, The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081
Mizushima H – See Ushida C *et al*, 847
Molinas C – See Cholin S *et al*, 882
Momose F, Handa H, Nagata K, Identification of host factors that regulate the influenza virus RNA polymerase activity, 1103
Moras D – See Giegé R *et al*, 605 – See Rees B *et al*, 624
Morin A – See Grosjean H *et al*, 488
Morishima I – See Wakasuki K *et al*, 763
Mottagui-Tabar S, Isaksson LA, Influence of the last amino acid in the nascent peptide on EF-Tu during decoding, 953
Mougin A – See Szkukalek A *et al*, 425
Muller JM – See Raingeaud J *et al*, 14
Muramatsu T – See Ushida C *et al*, 847 – See Kuchino Y *et al*, 1007
Murphy BJ – See Ganoza MC *et al*, 51
Muto A – See Felden B *et al*, 979 — Muto A, Sato M, Tadaki T, Fukushima M, Structure and function of 10Sa RNA: *Trans*-translation system, 985
Myslinski E – See Hubert N *et al*, 590

N–O

Nagata K – See Momose F *et al*, 1103
Nakamura Y – See Inada T *et al*, 209 – See Uno M *et al*, 935
Naranda T – See Hershey JWB *et al*, 903
Negishi M, Uno T, Honkakoski P, Sueyoshi T, Darden TA, Pedersen LP, The role of individual amino acids in altering substrate specificity of the P450 2a4/2a5 enzymes, 685
Nevinsky GA – See Kolocheva TI *et al*, 201
Newbury SF – See Cruz AA *et al*, 227
Nishikawa M – See Kimura T *et al*, 1075
Nissen P, Keldgaard M, Thirup S, Clark BFC, Nyborg J, The ternary complex of aminoacylated tRNA and EF-Tu-GTP. Recognition of a bond and a fold, 921
Nosaka T – See Miyasaki Y *et al*, 1081
Nyborg J – See Nissen P *et al*, 921
Ochoa B – See Hernandez ML *et al*, 26
Ogata M – See Yagi T *et al*, 838
Okabe S – See Kozu T *et al*, 1067
Opiola T, Szkaradkiewicz K, Barciszewska MZ, The nucleotide sequence of ribosomal 5S RNA from sorrel, 108
Oratore A – See Impagnatiello A *et al*, 267
Ornstein RL – See Manchester JI *et al*, 714
Osborne HB – See Paillard L *et al*, 399

P–Q

Paillard L, Legagneux V, Osborne HB, Poly(A) metabolism in *Xenopus laevis* embryos: Substrate-specific and default poly(A) nuclease activities are mediated by two distinct complexes, 399
Paillart JC, Marquet R, Skripkin E, Ehresmann C, Ehresmann B, Dimerization of retroviral genomic RNAs: Structural and functional implications, 639
Palamarczyk G – See Szkopinska A *et al*, 111
Parker R – See LaGrandeur TE *et al*, 1049
Pasquet JPEE, Zou MH, Ullrich V, Peroxynitrite inhibition of nitric oxide synthases, 785
Pearson JD – See Louters LL *et al*, 39
Pedersen LP – See Negishi M *et al*, 685
Pepe J – See Hong Lu T *et al*, 236
Perals C – See Cholin S *et al*, 882
Perotti E – See Fraichard A *et al*, 259
Perrière G, Gouy M, WWW-Query: An on-line retrieval system for biological sequence banks, 364
Peterson JA – See Sevrioukova I *et al*, 744
Philippe C – See Bénard L *et al*, 568
Piekarska B, Skowronek M, Rybarska J, Stopa B, Roterman I, Konieczny L, Congo red-stabilized intermediates in the λ light chain transition from native to molten state, 183
Pochapsky TC, Lyons TA, Kazanis S, Arakaki T, Ratnaswamy G, A structure-based model for cytochrome P450cam-putidaredoxin interactions, 723
Poole ES – See Tate WP *et al*, 945
Portais JC, Voisin P, Merle M, Canioni P, Glucose and glutamine metabolism in C6 glioma cells studied by carbon 13 NMR, 155
Portier C – See Bénard L *et al*, 568
Poulos TL – See Li H *et al*, 695
Protasova NY – See Kolesnikov IV *et al*, 868
Pugin A – See Fraichard A *et al*, 259
Putzer H – See Condon C *et al*, 381
Quinqueton J – See Vignal L *et al*, 327

R

Rabbani N – See Duhaiman AS *et al*, 46 – See Alhomida AS *et al*, 204
Raimo G, Masullo M, Scarano G, Bocchini V, The site for GTP hydrolysis on the archaeal elongation factor 2 is unmasked by aliphatic alcohols, 832
Raingeaud J, Lavergne F, Lelievre V, Muller JM, Julien R, Cenatiempo Y, Production, analysis and bioactivity of recombinant vasoactive intestinal peptide analogs, 14
Rapala-Kozik M, Kozik A, Mechanism of ligand-protein interaction in plant seed thiamine-binding proteins. Preliminary chemical identification of amino acid residues essential for thiamine binding to the buckwheat-seed protein, 77
Ratnaswamy G – See Pochapsky TC *et al*, 723
Raw I – See Wolff P *et al*, 190
Raynal LC, Krisch HM, Carpousis AJ, Bacterial poly(A) polymerase: An enzyme that modulates RNA stability, 390
Rees B, Cavarelli J, Moras D, Conformational flexibility of tRNA: Structural changes in yeast tRNA Asp upon binding to aspartyl-tRNA synthetase, 624
Ricker R – See Janosi L *et al*, 959
Ripoche H, Sallantin J, A computer aided system for systematic production and revision of sequence patterns, 370
Risler JL – See Gerdoux-Jamet P *et al*, 311
Rivals E, Dauchet M, Delahaye JP, Delgrange O, Compression and genetic sequence analysis, 315
Robertson HD, Mathews MB, The regulation of the protein kinase PKR by RNA, 909
Robinson RC – See Koley AP *et al*, 706
Rochiccioli P – See Cholin S *et al*, 882
Romanov AN – See Yu Uvarov V *et al*, 780
Rossi F – See Forné T *et al*, 436
Roterman I – See Piekarska B *et al*, 183
Rouzé P – See Vignal L *et al*, 327
Rybarska J – See Piekarska B *et al*, 183
Rytka J – See Skoneczny M *et al*, 95 – See Góra M *et al*, 144
Régnier P – See Hajnsdorf E *et al*, 416

S

Saint-Macary M – See Lançar-Benba J *et al*, 195
Sakai Y – See Kawasaki T *et al*, 245
Salanski P – See Krzyzaniak A *et al*, 862
Sallantin J – See Ripoche H *et al*, 370
Samenkova NF – See Davydov DR *et al*, 734
Santos MAS – See Tuite MF and Santos MAS, 993
Sarsero JP – See Yanofsky C *et al*, 1017
Sato K – See Kawasaki T *et al*, 245
Sato M – See Muto A *et al*, 985
Scarano G – See Raimo G *et al*, 832
Schmitt E, Guillon JM, Meinnel T, Mechulam Y, Dardel F, Blanquet S, Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543
Schuster C – See Hubert N *et al*, 590
Senger B, Fasiolo F, Yeast tRNA Met recognition by methionyl-tRNA synthetase requires determinants from the primary, secondary and tertiary structure: A review, 597
Sensen CW – See Gaasterland T *et al*, 302
Serin G, Joseph G, Faucher C, Ghisolfi L, Bouche G, Amalric F, Bouvet P, Localization of nucleolin

binding sites on human and mouse pre-ribosomal RNA, 530
Sevrioukova I, Peterson JA, Domain-domain interaction in cytochrome P450BM-3, 744
Shimizu M – See Kawasaki T *et al*, 245
Shoun H – See Kudo T *et al*, 792
Simon C – See Grosjean H *et al*, 488
Simons EL – See Anderson PE *et al*, 1025
Simons RW – See Anderson PE *et al*, 1025
Sirand-Pugnet P – See Gallego ME *et al*, 457
Sismeiro O – See Trotot P *et al*, 277
Skoczylas E, Swiezewska E, Protein farnesyltransferase in plants, 139
Skoneczny M, Rytka J, Maintenance of the peroxisomal compartment in glucose-repressed and anaerobically grown *Saccharomyces cerevisiae* cells, 95
Skop B, Sobczak A, Drózdz M, Kotrys-Puchalska E, Comparison of the action of transforming growth factor-α1 and interleukin-1α on matrix metabolism in the culture of porcine endothelial cells, 103
Skowronek M – See Piekarska B *et al*, 183
Skripkin E – See Paillart JC *et al*, 639
Sligar SG – See McLean MA *et al*, 700
Small I – See Dietrich A *et al*, 518
Sobczak A – See Skop B *et al*, 103
Solymosy F – See Szkukalek A *et al*, 425
Soula G – See Gueddari N *et al*, 874
Springer M – See Chiaruttini C *et al*, 555
Stephenson LS, Maquat LE, Cytoplasmic mRNA for human triosephosphate isomerase is immune to nonsense-mediated decay despite forming polysomes, 1043
Stetter KO – See Ushida C *et al*, 847
Stiffelman OB – See Chang YT *et al*, 771
Stopa B – See Piekarska B *et al*, 183
Sturchler C – See Hubert N *et al*, 590
Sueoka E – See Kozu T *et al*, 1067
Sueoka N – See Kozu T *et al*, 1067
Sueyoshi T – See Negishi M *et al*, 685
Swiezewska E – See Skoczylas E *et al*, 139
Szkaradkiewicz K – See Opiola T *et al*, 108
Szkopinska A, Karst F, Palamarczyk G, Products of *S cerevisiae cis*-prenyltransferase activity *in vitro*, 111
Szkukalek A, Mougin A, Grégoire A, Solymosy F, Branlant C, A unique U5→A substitution in the *Physarum polycephalum* U1 snRNA: Evidence at the RNA and gene levels, 425

T

Tadaki T – See Muto A *et al*, 985
Takenaka T – See Kawasaki T *et al*, 245
Taniuchi Y – See Kawasaki T *et al*, 245
Tarassov IA, Martin RP, Mechanisms of tRNA import into yeast mitochondria: An overview, 502
Tarn WY, Site-specific substitution of inosine at the terminal positions of a pre-mRNA intron: Implication for the configuration of the terminal base interaction, 1057
Tate WP, Poole ES, Dalphin ME, Major LL, Crawford DJG, Mannering SA, The translation stop signal: Codon with a context, or extended factor recognition element?, 945
Tauber M – See Cholin S *et al*, 882
Taylor A – See Laskowska E *et al*, 117
Tazi J – See Forné T *et al*, 436
Thermes C – See Vignal L *et al*, 327
Thirup S – See Nissen P *et al*, 921
Tomioka K – See Kawasaki T *et al*, 245
Tomita K, Ueda T, Watanabe K, Two nucleotides 5′-adjacent to the anticodon of rat cytoplasmic tRNA (Asp) are not edited, 1001
Tomura D – See Kudo T *et al*, 792
Toulmé JJ, Le Tinévez R, Brossalina E, Targeting RNA structures by antisense oligonucleotides, 663
Trossat C – See Fraichard A *et al*, 259
Trotot P, Sismeiro O, Vivarès C, Glaser P, Bresson-Roy A, Danchin A, Comparative analysis of the *cya* locus in enterobacteria and related Gram-negative facultative anaerobes, 277
Tsegenidis T – See Karamanos NK *et al*, 171
Tudek B – See Wójcik A *et al*, 85
Tuite MF, Santos MAS, Codon reassignment in *Candida* species: An evolutionary conundrum, 993
Turlin E, Gasser F, Biville F, Sequence and functional analysis of an *Escherichia coli* DNA fragment able to complement *pqq*E and *pqq*F mutants from *Methylobacterium organophilum*, 822

U–V

Ueda T – See Ushida C *et al*, 847 – See Tomita K *et al*, 1001
Ullrich V – See Pasquet JPEE *et al*, 785
Uno T – See Negishi M *et al*, 685
Uno M, Ito K, Nakamura Y, Functional specificity of amino acid at position 246 in the tRNA mimicry domain of bacterial release factor 2, 935
Ushida C, Muramatsu T, Mizushima H, Ueda T, Watanabe K, Stetter KO, Crain PF, McCloskey JA, Kuchino Y, Structural feature of the initiator tRNA gene from *Pyrodictium occultum* and the thermal stability of its gene product, $tRNA_i^{Met}$, 847
Vignal L, d'Aubenton-Carafa Y, Lisacek F, Mephu Nguifo E, Rouzé P, Quinqueton J, Thermes C, Exon prediction in eucaryotic genomes, 327
Vivarès C – See Trotot P *et al*, 277
Voisin P – See Portais JC *et al*, 155
Vornlocher HP – See Hershey JWB *et al*, 903

W–Z

Wakasuki K, Ishimori K, Morishima I, NMR studies of recombinant cytochrome P450cam mutants, 763
Walczak R – See Hubert N *et al*, 590
Watanabe K – See Ushida C *et al*, 847
Watanabe K – See Tomita K *et al*, 1001
Wawrzynów A – See Laskowska E *et al*, 117
Weil JH – See Dietrich A *et al*, 518
Westhof E – See Jaeger L *et al*, 466 – See Hubert N *et al*, 590
Wilhelm M – See Friant S *et al*, 674
Wilhelm FX – See Friant S *et al*, 674
Wilting R – See Hilgenfeld R *et al*, 971
Wolff P, Mitico Tanaka A, Chenker E, Cabrera-Crespo J, Raw I, Lee Ho P, Purification of fibroplast growth factor-2 from human placenta using tri(n-butyl)phosphate and sodium cholate, 190
Wrzesinski J – See Michalowski D *et al*, 131
Wu-Pong S, Calcium-dependent oligonucleotide cellular uptake, 33
Wójcik A, Grzesiuk E, Tudek B, Janion C, Conformation of plasmid DNA from *Escherichia coli* deficient in the repair systems protecting DNA from 8-oxyguanine lesions, 85
Yagi T, Ogata M, Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838
Yaminsky IV – See Yu Uvarov V *et al*, 780
Yanagisawa I – See Kawasaki T *et al*, 245
Yano S – See Kawasaki T *et al*, 245
Yanofsky C, Konan KV, Sarsero JP, Some novel transcription attenuation mechanisms used by bacteria, 1017
Yeom H – See McLean MA *et al*, 700
Yu Uvarov V, Ivanov YD, Romanov AN, Gallyamov MO, Kiselyova OI, Yaminsky IV, Scanning tunneling microscopy study of cytochrome P450 2B4 incorporated in proteoliposomes, 780
Zagórowska I, Adamiak RW, 2-Aminopurine labelled RNA bulge loops. Synthesis and thermodynamics, 123
Zhou JX – See Hou LX *et al*, 219
Zou MH – See Pasquet JPEE *et al*, 785

Keyword index 1996

A

2-aminopurine – 2-Aminopurine labelled RNA bulge loops. Synthesis and thermodynamics, 123
β-actin – A role for Rev in the association of HIV-1 gag mRNA with cytoskeletal β-actin and viral protein expression, 1075
A549 cells – Involvement of tyrosine kinase activity in the low-density lipoprotein receptor expression in human lung adenocarcinoma cell line A549, 874
***Acer pseudoplatanus* cells** – Allosteric regulation by Mg^{2+} of the vacuolar H^+-PPase from *Acer pseudoplatanus* cells. Ca^{2+}/Mg^{2+} interactions, 259
acetylcholinesterase – Purification and characterization of acetylcholinesterase from desert cobra (*Walterinnesia aegyptia*) venom, 46
acidic polysaccharides – Isolation, biochemical and immunological characterization of two sea urchin glycoproteins bearing sulphated poly(sialic acid) polysaccharides rich in N-glycolyl neuraminic acid, 171
Acinetobactor calcoaceticus – Inhibition studies of S-adenosylhomocysteine hydrolase purified from *Acinetobacter calcoaceticus* ULA-501, 267
adenine nucleotide – Role of adenine nucleotides in the activation of microsomal cholesterol ester hydrolase by fructose or adenosine in rat hepatocytes, 26
adenosine deaminase – Control of gene expression by base deamination: The case of RNA editing in wheat mitochondria, 511
adenylyl cyclase – Comparative analysis of the *cya* locus in enterobacteria and related Gram-negative facultative anaerobes, 277
adenylyl sulfate – Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838
adenylylsulfate reductase – Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838
ADP-ribosylation – The site for GTP hydrolysis on the archaeal elongation factor 2 is unmasked by aliphatic alcohols, 832
Aeromonas hydrophila – Comparative analysis of the *cya* locus in enterobacteria and related Gram-negative facultative anaerobes, 277
AIDS – The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081
allosteric properties – Deimination of glycogen phosphorylase *b* by peptidylarginine deiminase. Influence on the kinetical characteristics and dimer-tetramer transition, 253
aminoacyl-tRNA – Aminoacyl-tRNA synthetase gene regulation in *Bacillus subtilis*, 381 – The

ternary complex of aminoacylated tRNA and EF-Tu-GTP. Recognition of a bond and a fold, 921
aminoacyl-tRNA synthetases – Mechanisms of tRNA import into yeast mitochondria: An overview, 502 – Editing and import: Strategies for providing plant mitochondria with a complete set of functional transfer RNAs, 518 – Yeast tRNA Met recognition by methionyl-tRNA synthetase requires determinants from the primary, secondary and tertiary structure: A review, 597 – Aspartate identity of transfer RNAs, 605
anaerobiosis – Maintenance of the peroxisomal compartment in glucose-repressed and anaerobically grown *Saccharomyces cerevisiae* cells, 95
androstenedione – Computer modeling of 3D structures of cytochrome P450s, 771
annotated logic programming – Fully automated genome analysis that reflects user needs and preferences. A detailed introduction to the MAGPIE system architecture, 302
anticodon loop – Two nucleotides 5′-adjacent to the anticodon of rat cytoplasmic tRNA (Asp) are not edited, 1001
antideterminants – Aspartate identity of transfer RNAs, 605
antigenic determinants – Antigenic mapping of bacterial and animal cytochromes P-450, 752
antisense – Calcium-dependent oligonucleotide cellular uptake, 33
antitermination – Aminoacyl-tRNA synthetase gene regulation in *Bacillus subtilis*, 381
apolipoprotein B – Control of gene expression by base deamination: The case of RNA editing in wheat mitochondria, 511
aptamer – Targeting RNA structures by antisense oligonucleotides, 663
archaebacteria – The site for GTP hydrolysis on the archaeal elongation factor 2 is unmasked by aliphatic alcohols, 832
aspartate transcarbamylase – Molecular cloning and characterization of the *pyrB* gene of *Lactobacillus leichmannii* encoding aspartate transcarbamylase, 3
aspartyl-tRNA synthetase – Conformational flexibility of tRNA: Structural changes in yeast tRNA Asp upon binding to aspartyl-tRNA synthetase, 624
autoantibodies – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488
autocontrol – Pseudoknot and translational control in the expression of the S15 ribosomal protein, 568
automata – A grammar describing 'biological binding operators' to model gene regulation, 335
automated genome analysis – Fully automated genome analysis that reflects user needs and preferences. A detailed introduction to the MAGPIE system architecture, 302
autoregulation – Autogenous control of the *suhB* gene expression of *Escherichia coli*, 209

B–C

σ54 and σ70 bacterial promoters – Towards a unified grammatical model of σ70 and σ54 bacterial promoters, 351
B23 – The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081
Bacillus subtilis – Aminoacyl-tRNA synthetase gene regulation in *Bacillus subtilis*, 381
baculovirus – Expression of a recombinant human growth hormone binding protein in baculovirus/insect cell system, 882
base pair periodicity – DNA modifying agents as tools for studying chromatin structure, 803
benzphetamine – Computer modeling of 3D structures of cytochrome P450s, 771
buckwheat – Mechanism of ligand-protein interaction in plant seed thiamine-binding proteins. Preliminary chemical identification of amino acid residues essential for thiamine binding to the buckwheat-seed protein, 77
$C^{15}N$-NMR – NMR studies of recombinant cytochrome P450cam mutants, 763
C6 cells – Glucose and glutamine metabolism in C6 glioma cells studied by carbon 13 NMR, 155
calcium – Calcium-dependent oligonucleotide cellular uptake, 33
camel – Kinetic properties of purified carnitine acetyltransferase from the skeletal muscle of Arabian camel (*Camelus dromedarius*), 204
Candida – Codon reassignment in *Candida* species: An evolutionary conundrum, 993
carbon monoxide binding – Carbon monoxide binding to cytochrome P450BM-3: Evidence for a substrate-dependent conformational change, 700
carbon-13 NMR – Glucose and glutamine metabolism in C6 glioma cells studied by carbon 13 NMR, 155
carboxyl groups – Mechanism of ligand-protein interaction in plant seed thiamine-binding proteins. Preliminary chemical identification of amino acid residues essential for thiamine binding to the buckwheat-seed protein, 77
carnitine acetyltransferase – Kinetic properties of purified carnitine acetyltransferase from the skeletal muscle of Arabian camel (*Camelus dromedarius*), 204
catalytic RNA – Transcripts containing a small anti-HIV hammerhead ribozyme that are active in the cell cytoplasm but inactive *in vitro* as free RNAs, 654
cell cycle – The isolation of lupine cDNA clone coding for putative cyclin protein, 90
cell-free system – Identification of host factors that regulate the influenza virus RNA polymerase activity, 1103
cellular DNA – DNA modifying agents as tools for studying chromatin structure, 803
chemical modification – Creatine kinase: The characteristics of the enzyme regenerated from the thiomethylated creatine kinase reflect a differentiation in function between the two reactive thiols, 219
chemical synthesis – 2-Aminopurine labelled RNA bulge loops. Synthesis and thermodynamics, 123
chloramphenicol acetyltransferase – Regulation of metallothionein gene expression. Studies in transfected primary cultures of chick embryo liver cells, 236
chloroplast – Editing and import: Strategies for providing plant mitochondria with a complete set of functional transfer RNAs, 518
cholesterol ester metabolism – Role of adenine nucleotides in the activation of microsomal cholesterol ester hydrolase by fructose or adenosine in rat hepatocytes, 26
cholesterol esterase – Role of adenine nucleotides in the activation of microsomal cholesterol ester hydrolase by fructose or adenosine in rat hepatocytes, 26
chromatin structure – DNA modifying agents as tools for studying chromatin structure, 803
chromosomal insertion mutants – Sequence and functional analysis of an *Escherichia coli* DNA fragment able to complement *pqq*E and *pqq*F mutants from *Methylobacterium organophilum*, 822
***cis*-prenyltransferase** – Products of *S cerevisiae cis*-prenyltransferase activity *in vitro*, 111
cloning – Conservation and diversity in the structure of translation initiation factor eIF3 from humans and yeast, 903
codon reassignment – Codon reassignment in *Candida* species: An evolutionary conundrum, 993
collagen and proteoglycan synthesis – Comparison of the action of transforming growth factor-α1 and interleukin-1α on matrix metabolism in the culture of porcine endothelial cells, 103
compression algorithms – Compression and genetic sequence analysis, 315
computer method – Exon prediction in eucaryotic genomes, 327
computer modeling – The role of individual amino acids in altering substrate specificity of the P450 2a4/2a5 enzymes, 685
conformation – Conformational flexibility of tRNA: Structural changes in yeast tRNA Asp upon binding to aspartyl-tRNA synthetase, 624
Congo red – Congo red-stabilized intermediates in the λ light chain transition from native to molten state, 183
covariation – Structural organization of *Escherichia coli* tmRNA, 979
creatine kinase – Creatine kinase: The characteristics of the enzyme regenerated from the thio-methylated creatine kinase reflect a differentiation in function between the two reactive thiols, 219
crystal structure – Conformational dynamics in cytochrome P450-substrate interactions, 695
CTC protein – A ribosomal protein from *Thermus thermophilus* is homologous to a general shock protein, 915
CUG codon – Codon reassignment in *Candida* species: An evolutionary conundrum, 993
cyclin – The isolation of lupine cDNA clone coding for putative cyclin protein, 90
Cylindrocarpon tonkinense – Two isozymes of P450nor of *Cylindrocarpon tonkinense*: Molecular cloning of the cDNAs and genes, expressions in the yeast, and the putative NAD(P)H-binding site, 792
cytidine deamination – Control of gene expression by base deamination: The case of RNA editing in wheat mitochondria, 511
cytochrome c_3 – RNase E can inhibit the decay of some degradation intermediates: Degradation of *Desulfovibrio vulgaris* cytochrome c_3 mRNA in *E coli*, 227 – Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838
cytochrome P450 – Cytochrome P450 conformation and substrate interactions as probed by CO binding kinetics, 706 – A structure-based model for cytochrome P450cam-putidaredoxin interactions, 723 – Antigenic mapping of bacterial and animal cytochromes P-450, 752 – Scanning tunneling microscopy study of cytochrome P450 2B4 incorporated in proteoliposomes, 780 – Peroxynitrite inhibition of nitric oxide synthases, 785
cytochrome P450 2B4 – Interactions of cytochrome P450 2B4 with NADPH-cytochrome P450 reductase studied by fluorescent probe, 734
cytochrome P450BM-3 – Carbon monoxide binding to cytochrome P450BM-3: Evidence for a substrate-dependent conformational change, 700
cytochrome P450cam – Rational approach to improving reductive catalysis by cytochrome P450cam, 714
cytochrome P450nor – Two isozymes of P450nor of *Cylindrocarpon tonkinense*: Molecular cloning of the cDNAs and genes, expressions in the yeast, and the putative NAD(P)H-binding site, 792
cytoplasmic proton concentration – By way of introduction: Some constraints of the cell physics that are usually forgotten, but should be taken into account for *in silico* genome analysis, 299

D

D-loop – Mechanisms of primer RNA synthesis and D-loop/R-loop-dependent DNA replication in *Escherichia coli*, 1109
deadenylation – Poly(A) metabolism in *Xenopus laevis* embryos: Substrate-specific and default

poly(A) nuclease activities are mediated by two distinct complexes, 399
deaminase – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488
decapping – mRNA decapping activities and their biological roles, 1049
Desulfovibrio – Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838
diammine dichloride platinum – Inhibition studies of S-adenosylhomocysteine hydrolase purified from *Acinetobacter calcoaceticus* ULA-501, 267
dicarboxylate carrier – Characterization, purification and properties of the yeast mitochondrial dicarboxylate carrier (*Saccharomyces cerevisiae*), 195
dimer-tetramer transition – Deimination of glycogen phosphorylase *b* by peptidylarginine deiminase. Influence on the kinetical characteristics and dimer-tetramer transition, 253
dimerization – Dimerization of retroviral genomic RNAs: Structural and functional implications, 639
disassembly of termination complex – Dual functions of ribosome recycling factor in protein biosynthesis: Diassembling the determination complex and preventing translational errors, 959
DNA modification – DNA modifying agents as tools for studying chromatin structure, 803
DNA replication – Mechanisms of primer RNA synthesis and D-loop/R-loop-dependent DNA replication in *Escherichia coli*, 1109
DNA sequence – Molecular cloning and characterization of the *pyrB* gene of *Lactobacillus leichmannii* encoding aspartate transcarbamylase, 3– A simple vectorial representation of DNA sequences for the detection of replication origins in bacteria, 323
drug delivery – Calcium-dependent oligonucleotide cellular uptake, 33
dsRMB – The regulation of the protein kinase PKR by RNA, 909
dsRNA – The regulation of the protein kinase PKR by RNA, 909
dynamic programming – Searching for a family of orphan sequences with SAMBA, a parallel hardware dedicated to biological applications, 311

E

3′ end modifications of U6 sn RNA – Structural features of U6 snRNA and dynamic interactions with other spliceosomal components leading to pre-mRNA splicing, 436
E coli – Sequence and functional analysis of an *Escherichia coli* DNA fragment able to complement *pqq*E and *pqq*F mutants from *Methylobacterium organophilum*, 822
***E coli lacZ* gene** – The *lacZ* mRNA can be stabilised by the T7 late mRNA leader in *E coli*, 408
***E coli* mutants in 8ohG system** – Conformation of plasmid DNA from *Escherichia coli* deficient in the repair systems protecting DNA from 8-oxyguanine lesions, 85
***E coli* RF-2** – Functional specificity of amino acid at position 246 in the tRNA mimicry domain of bacterial release factor 2, 935
editing – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488 – Editing and import: Strategies for providing plant mitochondria with a complete set of functional transfer RNAs, 518
EF-Tu – The ternary complex of aminoacylated tRNA and EF-Tu-GTP. Recognition of a bond and a fold, 921 – Influence of the last amino acid in the nascent peptide on EF-Tu during decoding, 953
electron transfer – A structure-based model for cytochrome P450cam-putidaredoxin interactions, 723
elongation factor – Tetracyclines induce changes in accessibility of ribosomal proteins to protease, 868 – Structural model for the selenocysteine-specific elongation factor SelB, 971
elongation factor Tu – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543
endothelial cells – Comparison of the action of transforming growth factor-α1 and interleukin-1α on matrix metabolism in the culture of porcine endothelial cells, 103
enzymatic kinetics – Aspartate identity of transfer RNAs, 605
enzyme deficiency – Kinetic and thermodynamic properties of two electrophoretically similar genetic variants of human erythrocyte glucose-6-phosphate dehydrogenase, 165
Era G-protein – Structure and regulation of the *Salmonella typhimurium rnc-era-recO* operon, 1025
Escherichia coli – Recognition of the primers containing different modified nucleotide units by the Klenow fragment of DNA polymerase I from *E coli*, 201
essential lysine – Modification of brain glutamate dehydrogenase isoproteins with pyridoxal 5′-phosphate, 817
evolution – Editing and import: Strategies for providing plant mitochondria with a complete set of functional transfer RNAs, 518 – Aspartate identity of transfer RNAs, 605
exon – Exon prediction in eucaryotic genomes, 327
exonuclease – Processing of fribrillarin-associated snoRNAs from pre-mRNAintrons: An exonucleolytic process exclusively directed by the common stem-box terminal structure, 443

F–G

FAD – Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838
feedback regulation – Translational coupling in the *Escherichia coli* operon encoding translation initiation factor IF3 and ribosomal proteins L20 and L35, 555
ferredoxin – A structure-based model for cytochrome P450cam-putidaredoxin interactions, 723
ferrochelatase – Isolation and functional characterization of mutant ferrochelatases in *Saccharomyces cerevisiae*, 144
fibroblast growth factor – Purification of fibroplast growth factor-2 from human placenta using tri(*n*-butyl)phosphate and sodium cholate, 190
FITC-conjugated disintegrin – Biochemical characterization of a new disintegrin, flavostatin, isolated from *Trimeresurus flavoviridis* venom, 245
flash photolysis – Cytochrome P450 conformation and substrate interactions as probed by CO binding kinetics, 706
flavoproteins – Domain-domain interaction in cytochrome P450BM-3, 744
fluorescent probes – Interactions of cytochrome P450 2B4 with NADPH-cytochrome P450 reductase studied by fluorescent probe, 734
formal language – A grammar describing 'biological binding operators' to model gene regulation, 335
fusion gene – *In vitro* catalytic activities of DNA/RNA chimeric hammerhead ribozymes againts *AML1-MGT8* mRNA, a fused gene transcript in acute myeloid leukemia with t(8;21), 1067
α-galactosidase – Regulation of metallothionein gene expression. Studies in transfected primary cultures of chick embryo liver cells, 236
G-proteins – Use of elastase as an internal standard in immunoblotting techniques
gene coding region – Exon prediction in eucaryotic genomes, 327
gene expression – Tissue-specific splicing of two mutually exclusive exons of the chicken α-tropomyosin pre-mRNA: Positive and negative regulations, 457
gene regulation mechanism – A grammar describing 'biological binding operators' to model gene regulation, 335
gene therapy – *In vitro* catalytic activities of DNA/RNA chimeric hammerhead ribozymes againts *AML1-MGT8* mRNA, a fused gene transcript in acute myeloid leukemia with t(8;21), 1067
gene therapy – The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081
glucose – Glucose and glutamine metabolism in C6 glioma cells studied by carbon 13 NMR, 155
glucose incorporation – Histone H4 stimulates glucose uptake through the insulin receptor, 39
glucose repression – Maintenance of the peroxisomal compartment in glucose-repressed and anaerobically grown *Saccharomyces cerevisiae* cells, 95
glucose-6-phosphate dehydrogenase variants – Kinetic and thermodynamic properties of two electrophoretically similar genetic variants of human erythrocyte glucose-6-phosphate dehydrogenase, 165
glutamate deshydrogenase – Modification of brain glutamate dehydrogenase isoproteins with pyridoxal 5′-phosphate, 817
glutamine – Glucose and glutamine metabolism in C6 glioma cells studied by carbon 13 NMR, 155
glycogen phosphorylase *b* – Deimination of glycogen phosphorylase *b* by peptidylarginine deiminase. Influence on the kinetical characteristics and dimer-tetramer transition, 253
GPIIb/IIIa – Biochemical characterization of a new disintegrin, flavostatin, isolated from *Trimeresurus flavoviridis* venom, 245
grammar – A grammar describing 'biological binding operators' to model gene regulation, 335
grammatical model – Towards a unified grammatical model of σ70 and σ54 bacterial promoters, 351
group I intron – Function of a pseudoknot in the suppression of an alternative splicing event in a group I intron, 466
group II introns – Group II introns: Elaborate ribozymes, 474
growth hormone binding protein – Expression of a recombinant human growth hormone binding protein in baculovirus/insect cell system, 882
GTP – The ternary complex of aminoacylated tRNA and EF-Tu-GTP. Recognition of a bond and a fold, 921
GTP binding protein – Messenger RNA translation in prokaryotes: GTPase centers associated with translational factors, 577 – The site for GTP hydrolysis on the archaeal elongation factor 2 is unmasked by aliphatic alcohols, 832
GTP hydrolysis – Messenger RNA translation in prokaryotes: GTPase centers associated with translational factors, 577
GTPase – The site for GTP hydrolysis on the archaeal elongation factor 2 is unmasked by aliphatic alcohols, 832

H

^{1}H-NMR – NMR studies of recombinant cytochrome P450cam mutants, 763
H^+ pyrophosphatase – Allosteric regulation by Mg^{2+} of the vacuolar H^+-PPase from *Acer pseudoplatanus* cells. Ca^{2+}/Mg^{2+} interactions, 259
hammerhead ribozyme – Transcripts containing a small anti-HIV hammerhead ribozyme that are active in the cell cytoplasm but inactive *in vitro* as free RNAs, 654 – *In vitro* catalytic activities of DNA/RNA chimeric hammerhead ribozymes

against *AML1-MGT8* mRNA, a fused gene transcript in acute myeloid leukemia with t(8;21), 1067

heat denaturation – Congo red-stabilized intermediates in the λ light chain transition from native to molten state, 183

heat shock – IbpA and IbpB, the new heat-shock proteins, bind to endogenous *Escherichia coli* proteins aggregated intracellularly by heat shock, 117

HeLa cell – Identification of host factors that regulate the influenza virus RNA polymerase activity, 1103

hemoprotein – Carbon monoxide binding to cytochrome P450BM-3: Evidence for a substrate-dependent conformational change, 700

high-shear-stress-induced platelet aggregation – Biochemical characterization of a new disintegrin, flavostatin, isolated from *Trimeresurus flavoviridis* venom, 245

histidine – Mechanism of ligand-protein interaction in plant seed thiamine-binding proteins. Preliminary chemical identification of amino acid residues essential for thiamine binding to the buckwheat-seed protein, 77

histone H4 – Histone H4 stimulates glucose uptake through the insulin receptor, 39

HIV – Transcripts containing a small anti-HIV hammerhead ribozyme that are active in the cell cytoplasm but inactive *in vitro* as free RNAs, 654 – The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081 – Structural and functional evidence that initiation and elongation of HIV-1 reverse transcription are distinct processes, 1087

HIV-1 – A role for Rev in the association of HIV-1 gag mRNA with cytoskeletal β-actin and viral protein expression, 1075

homo- and heteroduplexes – High pressure effects on conformation of homo- and heteroduplexes of nucleic acids, 862

homology modeling – Computer modeling of 3D structures of cytochrome P450s, 771

horseradish peroxidase – Modification of horseradish peroxidase induced by hydroxyl radicals. The influence of oxygen, 62

host factors – Identification of host factors that regulate the influenza virus RNA polymerase activity, 1103

human erythrocyte – Kinetic and thermodynamic properties of two electrophoretically similar genetic variants of human erythrocyte glucose-6-phosphate dehydrogenase, 165

hydrostatic pressure – Interactions of cytochrome P450 2B4 with NADPH-cytochrome P450 reductase studied by fluorescent probe, 734

hydroxyl radicals – Modification of horseradish peroxidase induced by hydroxyl radicals. The influence of oxygen, 62

hyperthermophilic archaeum – Structural feature of the initiator tRNA gene from *Pyrodictium occultum* and the thermal stability of its gene product, $tRNA_i^{Met}$, 847

I

^{125}I-insulin binding – Histone H4 stimulates glucose uptake through the insulin receptor, 39

IbpA/B level – IbpA and IbpB, the new heat-shock proteins, bind to endogenous *Escherichia coli* proteins aggregated intracellularly by heat shock, 117

IbpA/B localization – IbpA and IbpB, the new heat-shock proteins, bind to endogenous *Escherichia coli* proteins aggregated intracellularly by heat shock, 117

identity determinants – Aspartate identity of transfer RNAs, 605

***in vitro* prenylation** – Protein farnesyltransferase in plants, 139

***in vitro* transcription** – Structural feature of the initiator tRNA gene from *Pyrodictium occultum* and the thermal stability of its gene product, $tRNA_i^{Met}$, 847

influenza virus – Identification of host factors that regulate the influenza virus RNA polymerase activity, 1103

initiation factor – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543

initiation factor 3 – Conservation and diversity in the structure of translation initiation factor eIF3 from humans and yeast, 903

initiator tRNA – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543

inosine – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488 – Site-specific substitution of inosine at the terminal positions of a pre-mRNA intron: Implication for the configuration of the terminal base interaction, 1057

inositol monophosphatase – Autogenous control of the *suhB* gene expression of *Escherichia coli*, 209

Int-6 – Conservation and diversity in the structure of translation initiation factor eIF3 from humans and yeast, 903

interleukin-1-beta – Comparison of the action of transforming growth factor-α1 and interleukin-1α on matrix metabolism in the culture of porcine endothelial cells, 103

intron – Exon prediction in eucaryotic genomes, 327 – Processing of fribrillarin-associated snoRNAs from pre-mRNAintrons: An exonucleolytic process exclusively directed by the common stem-box terminal structure, 443

ionic strength – Domain-domain interaction in cytochrome P450BM-3, 744

isozymes – Modification of brain glutamate dehydrogenase isoproteins with pyridoxal 5′-phosphate, 817

K–L

kinetics – Kinetic and thermodynamic properties of two electrophoretically similar genetic variants of human erythrocyte glucose-6-phosphate dehydrogenase, 165 – Kinetic properties of purified carnitine acetyltransferase from the skeletal muscle of Arabian camel (*Camelus dromedarius*), 204 – Cytochrome P450 conformation and substrate interactions as probed by CO binding kinetics, 706

Klenow fragment – Recognition of the primers containing different modified nucleotide units by the Klenow fragment of DNA polymerase I from *E coli*, 201

knots – By way of introduction: Some constraints of the cell physics that are usually forgotten, but should be taken into account for *in silico* genome analysis, 299

Kolmogorov complexity – Compression and genetic sequence analysis, 315

8ohG lesion – Conformation of plasmid DNA from *Escherichia coli* deficient in the repair systems protecting DNA from 8-oxyguanine lesions, 85

Lactobacillus leichmannii – Molecular cloning and characterization of the *pyrB* gene of *Lactobacillus leichmannii* encoding aspartate transcarbamylase, 3

lambda – Mammalian cell binding and transfection mediated by surface-modified bacteriophage λ, 856

LDL binding sites – Involvement of tyrosine kinase activity in the low-density lipoprotein receptor expression in human lung adenocarcinoma cell line A549, 874

LDL receptor gene expression – Involvement of tyrosine kinase activity in the low-density lipoprotein receptor expression in human lung adenocarcinoma cell line A549, 874

LDL receptor modulation – Involvement of tyrosine kinase activity in the low-density lipoprotein receptor expression in human lung adenocarcinoma cell line A549, 874

leukemia – *In vitro* catalytic activities of DNA/RNA chimeric hammerhead ribozymes againts *AML1-MGT8* mRNA, a fused gene transcript in acute myeloid leukemia with t(8;21), 1067

lung adenocarcinoma cell line – Involvement of tyrosine kinase activity in the low-density lipoprotein receptor expression in human lung adenocarcinoma cell line A549, 874

Lupinus luteus – The isolation of lupine cDNA clone coding for putative cyclin protein, 90

M

2-methyl-1,4-naphthoquinone – Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838

machine learning – A computer aided system for systematic production and revision of sequence patterns, 370

magnesium – Allosteric regulation by Mg^{2+} of the vacuolar H^+-PPase from *Acer pseudoplatanus* cells. Ca^{2+}/Mg^{2+} interactions, 259

male sterility – Control of gene expression by base deamination: The case of RNA editing in wheat mitochondria, 511

maternal mRNAs – Poly(A) metabolism in *Xenopus laevis* embryos: Substrate-specific and default poly(A) nuclease activities are mediated by two distinct complexes, 399

melting temperature – Structural feature of the initiator tRNA gene from *Pyrodictium occultum* and the thermal stability of its gene product, $tRNA_i^{Met}$, 847

metabolism – Glucose and glutamine metabolism in C6 glioma cells studied by carbon 13 NMR, 155

metal ion-induced hydrolysis – Effect of modified nucleotides on structure of yeast $tRNA^{Phe}$. Comparative studies by metal ion-induced hydrolysis and nuclease mapping, 131

metal-thiolate cluster – Peroxynitrite inhibition of nitric oxide synthases, 785

metallothionein gene – Regulation of metallothionein gene expression. Studies in transfected primary cultures of chick embryo liver cells, 236

methionyl-tRNA synthetase – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543

methionyl-$tRNA_f^{Met}$ formyltransferase – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543

methylation – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488

Methylobacterium organophilum – Sequence and functional analysis of an *Escherichia coli* DNA fragment able to complement *pqq*E and *pqq*F mutants from *Methylobacterium organophilum*, 822

methyltransferase – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488

minihelices – Yeast tRNA Met recognition by methionyl-tRNA synthetase requires determinants from the primary, secondary and tertiary structure: A review, 597

mitochondria – Isolation and functional characterization of mutant ferrochelatases in *Saccharomyces cerevisiae*, 144 – Characterization, purification and properties of the yeast mitochondrial dicarboxylate carrier (*Saccharomyces cerevisiae*), 195 – Editing and import: Strategies for providing plant mitochondria with a complete set of functional transfer RNAs, 518

mitochondrial import – Mechanisms of tRNA import into yeast mitochondria: An overview, 502
models – Exon prediction in eucaryotic genomes, 327
modified nucleotides – Effect of modified nucleotides on structure of yeast $tRNA^{Phe}$. Comparative studies by metal ion-induced hydrolysis and nuclease mapping, 131
molecular anatomy – A multifunctional enzyme with RNA polymerase and RNase activities: Molecular anatomy of influenza virus RNA polymerase, 1097
molecular dynamics – Rational approach to improving reductive catalysis by cytochrome P450cam, 714
molecular evolution – Codon reassignment in *Candida* species: An evolutionary conundrum, 993
molten globule – Congo red-stabilized intermediates in the λ light chain transition from native to molten state, 183
mRNA – Tissue-specific splicing of two mutually exclusive exons of the chicken α-tropomyosin pre-mRNA: Positive and negative regulations, 457
mRNA decay – Autogenous control of the *suhB* gene expression of *Escherichia coli,* 209 – Multiple degradation pathways of the rpsO mRNA of *Escherichia coli*. RNase E interacts with the 5′ and 3′ extremities of the primary transcript, 416 – Structure and regulation of the *Salmonella typhimurium rnc-era-recO* operon, 1025 – Cytoplasmic mRNA for human triosephosphate isomerase is immune to nonsense-mediated decay despite forming polysomes, 1043
mRNA degradation – RNase E can inhibit the decay of some degradation intermediates: Degradation of *Desulfovibrio vulgaris* cytochrome c_3 mRNA in *E coli*, 227
mRNA stability – The *lacZ* mRNA can be stabilised by the T7 late mRNA leader in *E coli,* 408 – Differential contributions of two elements of rho-independent terminator to transcription termination and mRNA stabilization, 1035
mRNA structure – RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins, 590
multigene family – A unique U5→A substitution in the *Physarum polycephalum* U1 snRNA: Evidence at the RNA and gene levels, 425
multivariate analysis – WWW-Query: An on line retrieval system for biological sequence banks, 364
MuLV – Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632
muscle – Kinetic properties of purified carnitine acetyltransferase from the skeletal muscle of Arabian camel (*Camelus dromedarius*), 204
mutants – Isolation and functional characterization of mutant ferrochelatases in *Saccharomyces cerevisiae*, 144

N–O

NADPH cytochrome reductase – Interactions of cytochrome P450 2B4 with NADPH-cytochrome P450 reductase studied by fluorescent probe, 734
NADPH-P450 reductase – Domain-domain interaction in cytochrome P450BM-3, 744
nascent peptide – Influence of the last amino acid in the nascent peptide on EF-Tu during decoding, 953
nitric oxide reductase – Two isozymes of P450nor of *Cylindrocarpon tonkinense*: Molecular cloning of the cDNAs and genes, expressions in the yeast, and the putative NAD(P)H-binding site, 792
nitric oxide synthase – Peroxynitrite inhibition of nitric oxide synthases, 785
non-Watson-Crick base-pairs – RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins, 590
nonsense codons – Cytoplasmic mRNA for human triosephosphate isomerase is immune to nonsense-mediated decay despite forming polysomes, 1043
nuclease digestion – Effect of modified nucleotides on structure of yeast $tRNA^{Phe}$. Comparative studies by metal ion-induced hydrolysis and nuclease mapping, 131
nucleic acid – High pressure effects on conformation of homo- and heteroduplexes of nucleic acids, 862
nucleolar protein – Localization of nucleolin binding sites on human and mouse pre-ribosomal RNA, 530
nucleolin – Localization of nucleolin binding sites on human and mouse pre-ribosomal RNA, 530
nucleolus – The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081
nucleosome – DNA modifying agents as tools for studying chromatin structure, 803
nucleotide sequence – The nucleotide sequence of ribosomal 5S RNA from sorrel, 108 – Structural feature of the initiator tRNA gene from *Pyrodictium occultum* and the thermal stability of its gene product, $tRNA_i^{Met}$, 847
nucleotide sequence analysis – Sequence and functional analysis of an *Escherichia coli* DNA fragment able to complement *pqq*E and *pqq*F mutants from *Methylobacterium organophilum*, 822
object-oriented databases – A computer aided system for systematic production and revision of sequence patterns, 370
oligonucleotide – Calcium-dependent oligonucleotide cellular uptake, 33 – High pressure effects on conformation of homo- and heteroduplexes of nucleic acids, 862
open reading frames – Searching for a family of orphan sequences with SAMBA, a parallel hardware dedicated to biological applications, 311
orphan sequences – Searching for a family of orphan sequences with SAMBA, a parallel hardware dedicated to biological applications, 311
outer membrane – IbpA and IbpB, the new heat-shock proteins, bind to endogenous *Escherichia coli* proteins aggregated intracellularly by heat shock, 117
oxygen effect – Modification of horseradish peroxidase induced by hydroxyl radicals. The influence of oxygen, 62

P–Q

P450 – The role of individual amino acids in altering substrate specificity of the P450 2a4/2a5 enzymes, 685
P4502B4 – Computer modeling of 3D structures of cytochrome P450s, 771
P450BM-3 – Conformational dynamics in cytochrome P450-substrate interactions, 695
P450cam mutants – NMR studies of recombinant cytochrome P450cam mutants, 763
P450choP – Computer modeling of 3D structures of cytochrome P450s, 771
P450nor – Two isozymes of P450nor of *Cylindrocarpon tonkinense*: Molecular cloning of the cDNAs and genes, expressions in the yeast, and the putative NAD(P)H-binding site, 792
packaging – Dimerization of retroviral genomic RNAs: Structural and functional implications, 639
parallel hardware – Searching for a family of orphan sequences with SAMBA, a parallel hardware dedicated to biological applications, 311
pathogenesis – Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632
pDNA conformation – Conformation of plasmid DNA from *Escherichia coli* deficient in the repair systems protecting DNA from 8-oxyguanine lesions, 85
pentachloroethane – Rational approach to improving reductive catalysis by cytochrome P450cam, 714
peptide deformylase – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543
peptide scanning – Antigenic mapping of bacterial and animal cytochromes P-450, 752
peptidyl-tRNA hydrolase – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543
peptidylarginine deiminase – Deimination of glycogen phosphorylase *b* by peptidylarginine deiminase. Influence on the kinetical characteristics and dimer-tetramer transition, 253
peroxisome – Maintenance of the peroxisomal compartment in glucose-repressed and anaerobically grown *Saccharomyces cerevisiae* cells, 95
peroxynitrite – Peroxynitrite inhibition of nitric oxide synthases, 785
phage – Mammalian cell binding and transfection mediated by surface-modified bacteriophage λ, 856
phylogeny – WWW-Query: An on line retrieval system for biological sequence banks, 364
Physarum polycephalum – A unique U5→A substitution in the *Physarum polycephalum* U1 snRNA: Evidence at the RNA and gene levels, 425
physostigmine – Purification and characterization of acetylcholinesterase from desert cobra (*Walterinnesia aegyptia*) venom, 46
placenta – Purification of fibroplast growth factor-2 from human placenta using tri(*n*-butyl)phosphate and sodium cholate, 190
plant organelles – Control of gene expression by base deamination: The case of RNA editing in wheat mitochondria, 511
poly vasoactive intestinal polypeptide – Production, analysis and bioactivity of recombinant vasoactive intestinal peptide analogs, 14
poly(A) nuclease – Poly(A) metabolism in *Xenopus laevis* embryos: Substrate-specific and default poly(A) nuclease activities are mediated by two distinct complexes, 399
poly(A) polymerase– Bacterial poly(A) polymerase: An enzyme that modulates RNA stability, 390
poly(A) polymerase I – Multiple degradation pathways of the rpsO mRNA of *Escherichia coli*. RNase E interacts with the 5′ and 3′ extremities of the primary transcript, 416
poly(sialic acid) – Isolation, biochemical and immunological characterization of two sea urchin glycoproteins bearing sulphated poly(sialic acid) polysaccharides rich in N-glycolyl neuraminic acid, 171
poly(T) tract – Differential contributions of two elements of rho-independent terminator to transcription termination and mRNA stabilization, 1035
polyadenylation – Multiple degradation pathways of the rpsO mRNA of *Escherichia coli*. RNase E interacts with the 5′ and 3′ extremities of the primary transcript, 416
polymerase – Structural and functional evidence that initiation and elongation of HIV-1 reverse transcription are distinct processes, 1087
polymyositis – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488
polynucleotide phosphorylase – RNase E can inhibit the decay of some degradation intermediates: Degradation of *Desulfovibrio vulgaris* cytochrome c_3 mRNA in *E coli*, 227
polyprenol – Products of *S cerevisiae cis*-prenyltransferase activity *in vitro*, 111
polysomes – Cytoplasmic mRNA for human triosephosphate isomerase is immune to nonsense-mediated decay despite forming polysomes, 1043
post-transcriptional modification – Two nucleotides 5′-adjacent to the anticodon of rat cytoplasmic tRNA (Asp) are not edited, 1001

posttranscriptional modification – Structural feature of the initiator tRNA gene from *Pyrodictium occultum* and the thermal stability of its gene product, $tRNA_i^{Met}$, 847
pre-messenger RNA – Structural features of U6 snRNA and dynamic interactions with other spliceosomal components leading to pre-mRNA splicing, 436
pre-mRNA splicing – Site-specific substitution of inosine at the terminal positions of a pre-mRNA intron: Implication for the configuration of the terminal base interaction, 1057
pre-rRNA – Localization of nucleolin binding sites on human and mouse pre-ribosomal RNA, 530
prediction – Exon prediction in eucaryotic genomes, 327
primer recognition – Recognition of the primers containing different modified nucleotide units by the Klenow fragment of DNA polymerase I from *E coli*, 201
primer RNA – Mechanisms of primer RNA synthesis and D-loop/R-loop-dependent DNA replication in *Escherichia coli*, 1109
primosome – Mechanisms of primer RNA synthesis and D-loop/R-loop-dependent DNA replication in *Escherichia coli*, 1109
procaine – Purification and characterization of acetylcholinesterase from desert cobra (*Walterinnesia aegyptia*) venom, 46
processing – Aminoacyl-tRNA synthetase gene regulation in *Bacillus subtilis*, 381
prokaryotes – Messenger RNA translation in prokaryotes: GTPase centers associated with translational factors, 577 – Structural model for the selenocysteine-specific elongation factor SelB, 971
protein dimerization – The regulation of the protein kinase PKR by RNA, 909
protein farnesyltransferase – Protein farnesyltransferase in plants, 139
protein synthesis – The site for GTP hydrolysis on the archaeal elongation factor 2 is unmasked by aliphatic alcohols, 832 – Structural model for the selenocysteine-specific elongation factor SelB, 971
protein synthesis inhibition – The regulation of the protein kinase PKR by RNA, 909
protein-protein interactions – Interactions of cytochrome P450 2B4 with NADPH-cytochrome P450 reductase studied by fluorescent probe, 734 – Domain-domain interaction in cytochrome P450BM-3, 744
proteoliposomes – Scanning tunneling microscopy study of cytochrome P450 2B4 incorporated in proteoliposomes, 780
proteolysis – Tetracyclines induce changes in accessibility of ribosomal proteins to protease, 868
Proteus mirabilis – Comparative analysis of the *cya* locus in enterobacteria and related Gram-negative facultative anaerobes, 277
proton pumps – Allosteric regulation by Mg^{2+} of the vacuolar H^+-PPase from *Acer pseudoplatanus* cells. Ca^{2+}/Mg^{2+} interactions, 259
protoporphyrin – Isolation and functional characterization of mutant ferrochelatases in *Saccharomyces cerevisiae*, 144
pseudoknot – Function of a pseudoknot in the suppression of an alternative splicing event in a group I intron, 466 – Pseudoknot and translational control in the expression of the S15 ribosomal protein, 568 – Structural organization of *Escherichia coli* tmRNA, 979
pulse radiolysis – Modification of horseradish peroxidase induced by hydroxyl radicals. The influence of oxygen, 62
purification – Purification and characterization of acetylcholinesterase from desert cobra (*Walterinnesia aegyptia*) venom, 46 – Characterization, purification and properties of the yeast mitochondrial dicarboxylate carrier (*Saccharomyces cerevisiae*), 195
putidaredoxin – A structure-based model for cytochrome P450cam-putidaredoxin interactions, 723
pyrB – Molecular cloning and characterization of the *pyrB* gene of *Lactobacillus leichmannii* encoding aspartate transcarbamylase, 3
pyridoxal 5′-phosphate – Modification of brain glutamate dehydrogenase isoproteins with pyridoxal 5′-phosphate, 817
pyrimidine biosynthesis – Molecular cloning and characterization of the *pyrB* gene of *Lactobacillus leichmannii* encoding aspartate transcarbamylase, 3
pyrroloquinoline quinone – Sequence and functional analysis of an *Escherichia coli* DNA fragment able to complement *pqq*E and *pqq*F mutants from *Methylobacterium organophilum*, 822
queuosine – Two nucleotides 5′-adjacent to the anticodon of rat cytoplasmic tRNA (Asp) are not edited, 1001

R

10Sa RNA – Structure and function of 10Sa RNA: *Trans*-translation system, 985
α-reductase – Products of *S cerevisiae cis*-prenyltransferase activity *in vitro*, 111
R-loop – Mechanisms of primer RNA synthesis and D-loop/R-loop-dependent DNA replication in *Escherichia coli*, 1109
random sequential mechanism – Kinetic properties of purified carnitine acetyltransferase from the skeletal muscle of Arabian camel (*Camelus dromedarius*), 204
rat adipocytes – Histone H4 stimulates glucose uptake through the insulin receptor, 39
rat hepatocyte – Role of adenine nucleotides in the activation of microsomal cholesterol ester hydrolase by fructose or adenosine in rat hepatocytes, 26
reactive thiols – Creatine kinase: The characteristics of the enzyme regenerated from the thio-methylated creatine kinase reflect a differentiation in function between the two reactive thiols, 219
recognition – The ternary complex of aminoacylated tRNA and EF-Tu-GTP. Recognition of a bond and a fold, 921
recombinant peptides – Production, analysis and bioactivity of recombinant vasoactive intestinal peptide analogs, 14
recombinant protein – Expression of a recombinant human growth hormone binding protein in baculovirus/insect cell system, 882
recombination – Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632
redox potential – Rational approach to improving reductive catalysis by cytochrome P450cam, 714
redox proteins – A structure-based model for cytochrome P450cam-putidaredoxin interactions, 723
reductive dehalogenation – Rational approach to improving reductive catalysis by cytochrome P450cam, 714
regeneration – Creatine kinase: The characteristics of the enzyme regenerated from the thio-methylated creatine kinase reflect a differentiation in function between the two reactive thiols, 219
regularity detection – Compression and genetic sequence analysis, 315
regulation of gene expression – Towards a unified grammatical model of σ70 and σ54 bacterial promoters, 351
release factor – Functional specificity of amino acid at position 246 in the tRNA mimicry domain of bacterial release factor 2, 935 – The translation stop signal: Codon with a context, or extended factor recognition element?, 945
replication origin – A simple vectorial representation of DNA sequences for the detection of replication origins in bacteria, 323
retroviral vector – Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632
retrovirus – Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632 – Dimerization of retroviral genomic RNAs: Structural and functional implications, 639 – Structural and functional evidence that initiation and elongation of HIV-1 reverse transcription are distinct processes, 1087
Rev – A role for Rev in the association of HIV-1 gag mRNA with cytoskeletal β-actin and viral protein expression, 1075 – The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081
reverse transcriptase – Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632 – Role of RNA primers in initiation of minus-strand and plus-strand DNA synthesis of the yeast retrotransposon Ty1, 674 – Structural and functional evidence that initiation and elongation of HIV-1 reverse transcription are distinct processes, 1087
rho-independent terminator – Differential contributions of two elements of rho-independent terminator to transcription termination and mRNA stabilization, 1035
riboflavin – Catalytic properties of adenylylsulfate reductase from *Desulfovibrio vulgaris* Miyazaki, 838
ribonuclease III – Structure and regulation of the *Salmonella typhimurium rnc-era-recO* operon, 1025
ribonucleases – Multiple degradation pathways of the rpsO mRNA of *Escherichia coli*. RNase E interacts with the 5′ and 3′ extremities of the primary transcript, 416
ribosomal protein L25 – A ribosomal protein from *Thermus thermophilus* is homologous to a general shock protein, 915
ribosome biogenesis – Localization of nucleolin binding sites on human and mouse pre-ribosomal RNA, 530
ribosome recycling (releasing) factor – Dual functions of ribosome recycling factor in protein biosynthesis: Disassembling the determination complex and preventing translational errors, 959
ribosomes – Translational coupling in the *Escherichia coli* operon encoding translation initiation factor IF3 and ribosomal proteins L20 and L35, 555 – Tetracyclines induce changes in accessibility of ribosomal proteins to protease, 868 – Structure and function of 10Sa RNA: *Trans*-translation system, 985
ribozyme – Function of a pseudoknot in the suppression of an alternative splicing event in a group I intron, 466 – Group II introns: Elaborate ribozymes, 474
RNA – Enzymatic conversion of adenosine to inosine and to N1-methylinosine in transfer RNAs: A review, 488
RNA binding – Pseudoknot and translational control in the expression of the S15 ribosomal protein, 568
RNA binding protein – Localization of nucleolin binding sites on human and mouse pre-ribosomal RNA, 530
RNA bulge loops – 2-Aminopurine labelled RNA bulge loops. Synthesis and thermodynamics, 123

RNA catalysis – Group II introns: Elaborate ribozymes, 474
RNA degradation– Bacterial poly(A) polymerase: An enzyme that modulates RNA stability, 390
RNA degradosome– Bacterial poly(A) polymerase: An enzyme that modulates RNA stability, 390
RNA editing – Control of gene expression by base deamination: The case of RNA editing in wheat mitochondria, 511 – Two nucleotides 5′-adjacent to the anticodon of rat cytoplasmic tRNA (Asp) are not edited, 1001
RNA engineering – Aspartate identity of transfer RNAs, 605
RNA genome – A multifunctional enzyme with RNA polymerase and RNase activities: Molecular anatomy of influenza virus RNA polymerase, 1097
RNA polyadenylation– Bacterial poly(A) polymerase: An enzyme that modulates RNA stability, 390
RNA primers – Role of RNA primers in initiation of minus-strand and plus-strand DNA synthesis of the yeast retrotransposon Ty1, 674
RNA processing – Processing of fribrillarin-associated snoRNAs from pre-mRNAintrons: An exonucleolytic process exclusively directed by the common stem-box terminal structure, 443
RNA recognition – Yeast tRNA Met recognition by methionyl-tRNA synthetase requires determinants from the primary, secondary and tertiary structure: A review, 597
RNA replication – A multifunctional enzyme with RNA polymerase and RNase activities: Molecular anatomy of influenza virus RNA polymerase, 1097
RNA secondary structure – Translational coupling in the *Escherichia coli* operon encoding translation initiation factor IF3 and ribosomal proteins L20 and L35, 555
RNA structure – Group II introns: Elaborate ribozymes, 474 – Dimerization of retroviral genomic RNAs: Structural and functional implications, 639 – Structure and regulation of the *Salmonella typhimurium rnc-era-recO* operon, 1025
RNA transcription – A multifunctional enzyme with RNA polymerase and RNase activities: Molecular anatomy of influenza virus RNA polymerase, 1097
RNA transport – The post-transcriptional regulator Rev of HIV: Implications for its interaction with the nucleolar protein B23, 1081
RNA-RNA interaction – Function of a pseudoknot in the suppression of an alternative splicing event in a group I intron, 466
RNase E – RNase E can inhibit the decay of some degradation intermediates: Degradation of *Desulfovibrio vulgaris* cytochrome c_3 mRNA in *E coli*, 227 – The *lacZ* mRNA can be stabilised by the T7 late mRNA leader in *E coli*, 408
rpoH – IbpA and IbpB, the new heat-shock proteins, bind to endogenous *Escherichia coli* proteins aggregated intracellularly by heat shock, 117
rRNA processing – Structure and regulation of the *Salmonella typhimurium rnc-era-recO* operon, 1025
Rumex acetosa – The nucleotide sequence of ribosomal 5S RNA from sorrel, 108

S

5S ribosomal RNA – The nucleotide sequence of ribosomal 5S RNA from sorrel, 108
5S rRNA binding protein – A ribosomal protein from *Thermus thermophilus* is homologous to a general shock protein, 915
S-adenosylhomocysteine – Inhibition studies of S-adenosylhomocysteine hydrolase purified from *Acinetobacter calcoaceticus* ULA-501, 267
S15 – Pseudoknot and translational control in the expression of the S15 ribosomal protein, 568
Saccharomyces cerevisiae – Maintenance of the peroxisomal compartment in glucose-repressed and anaerobically grown *Saccharomyces cerevisiae* cells, 95 – Isolation and functional characterization of mutant ferrochelatases in *Saccharomyces cerevisiae*, 144 – Characterization, purification and properties of the yeast mitochondrial dicarboxylate carrier (*Saccharomyces cerevisiae*), 195 – Mechanisms of tRNA import into yeast mitochondria: An overview, 502
***Salmonella* RF-2** – Functional specificity of amino acid at position 246 in the tRNA mimicry domain of bacterial release factor 2, 935
scanning tunneling microscopy – Scanning tunneling microscopy study of cytochrome P450 2B4 incorporated in proteoliposomes, 780
sea urchin – Isolation, biochemical and immunological characterization of two sea urchin glycoproteins bearing sulphated poly(sialic acid) polysaccharides rich in N-glycolyl neuraminic acid, 171
seeds – Mechanism of ligand-protein interaction in plant seed thiamine-binding proteins. Preliminary chemical identification of amino acid residues essential for thiamine binding to the buckwheat-seed protein, 77
selenium – RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins, 590
selenocysteine – Structural model for the selenocysteine-specific elongation factor SelB, 971
selenocysteine tRNA^{Sec} – RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins, 590
self-splicing – Function of a pseudoknot in the suppression of an alternative splicing event in a group I intron, 466
sequence banks – WWW-Query: An on line retrieval system for biological sequence banks, 364
sequence classification – Compression and genetic sequence analysis, 315
sequence patterns – A computer aided system for systematic production and revision of sequence patterns, 370
sequence retrieval system – WWW-Query: An on line retrieval system for biological sequence banks, 364
sialoproteins – Isolation, biochemical and immunological characterization of two sea urchin glycoproteins bearing sulphated poly(sialic acid) polysaccharides rich in N-glycolyl neuraminic acid, 171
site-directed cross-linking– The translation stop signal: Codon with a context, or extended factor recognition element?, 945
site-directed mutagenesis – The role of individual amino acids in altering substrate specificity of the P450 2a4/2a5 enzymes, 685
sites sensitive to Fpg – Conformation of plasmid DNA from *Escherichia coli* deficient in the repair systems protecting DNA from 8-oxyguanine lesions, 85
skeletal muscle – Deimination of glycogen phosphorylase *b* by peptidylarginine deiminase. Influence on the kinetical characteristics and dimer-tetramer transition, 253
snake venom – Biochemical characterization of a new disintegrin, flavostatin, isolated from *Trimeresurus flavoviridis* venom, 245
snoRNA – Processing of fribrillarin-associated snoRNAs from pre-mRNAintrons: An exonucleolytic process exclusively directed by the common stem-box terminal structure, 443
sodium arsenite – Regulation of metallothionein gene expression. Studies in transfected primary cultures of chick embryo liver cells, 236
sodium cholate – Purification of fibroplast growth factor-2 from human placenta using tri(*n*-butyl)phosphate and sodium cholate, 190
spinach (*Spinacia oleracea*) – Protein farnesyltransferase in plants, 139
splice site – Exon prediction in eucaryotic genomes, 327
spliceosome – Site-specific substitution of inosine at the terminal positions of a pre-mRNA intron: Implication for the configuration of the terminal base interaction, 1057
splicing – A unique U5→A substitution in the *Physarum polycephalum* U1 snRNA: Evidence at the RNA and gene levels, 425 – Structural features of U6 snRNA and dynamic interactions with other spliceosomal components leading to pre-mRNA splicing, 436 – Processing of fribrillarin-associated snoRNAs from pre-mRNAintrons: An exonucleolytic process exclusively directed by the common stem-box terminal structure, 443 – Group II introns: Elaborate ribozymes, 474
splicite site – Site-specific substitution of inosine at the terminal positions of a pre-mRNA intron: Implication for the configuration of the terminal base interaction, 1057
standardization – Use of elastase as an internal standard in immunoblotting techniques
stem-loop structure – Targeting RNA structures by antisense oligonucleotides, 663 – Differential contributions of two elements of rho-independent terminator to transcription termination and mRNA stabilization, 1035
stop codon recognition – Functional specificity of amino acid at position 246 in the tRNA mimicry domain of bacterial release factor 2, 935
structural probing – Structural organization of *Escherichia coli* tmRNA, 979
substrate complex – Conformational dynamics in cytochrome P450-substrate interactions, 695
substrate specificity – The role of individual amino acids in altering substrate specificity of the P450 2a4/2a5 enzymes, 685
suhB – Autogenous control of the *suhB* gene expression of *Escherichia coli*, 209
sulfate-reducer – RNase E can inhibit the decay of some degradation intermediates: Degradation of *Desulfovibrio vulgaris* cytochrome c_3 mRNA in *E coli*, 227
suppression – Autogenous control of the *suhB* gene expression of *Escherichia coli*, 209
suppressor tRNA – Influence of the last amino acid in the nascent peptide on EF-Tu during decoding, 953
surface display – Mammalian cell binding and transfection mediated by surface-modified bacteriophage λ, 856
synefungin – Inhibition studies of S-adenosylhomocysteine hydrolase purified from *Acinetobacter calcoaceticus* ULA-501, 267
α-tropomyosin – Tissue-specific splicing of two mutually exclusive exons of the chicken α-tropomyosin pre-mRNA: Positive and negative regulations, 457

T

T7 RNA polymerase – The *lacZ* mRNA can be stabilised by the T7 late mRNA leader in *E coli*, 408
tag-peptide – Structure and function of 10Sa RNA: *Trans*-translation system, 985
tail tube – Mammalian cell binding and transfection mediated by surface-modified bacteriophage λ, 856
termination codon– The translation stop signal: Codon with a context, or extended factor recognition element?, 945
ternary complex – The ternary complex of aminoacylated tRNA and EF-Tu-GTP. Recognition of a bond and a fold, 921
tetracaine – Purification and characterization of acetylcholinesterase from desert cobra (*Walterinnesia aegyptia*) venom, 46
tetracyclines – Tetracyclines induce changes in accessibility of ribosomal proteins to protease, 868

thermodynamics – 2-Aminopurine labelled RNA bulge loops. Synthesis and thermodynamics, 123 – Kinetic and thermodynamic properties of two electrophoretically similar genetic variants of human erythrocyte glucose-6-phosphate dehydrogenase, 165
thiamine-binding proteins – Mechanism of ligand-protein interaction in plant seed thiamine-binding proteins. Preliminary chemical identification of amino acid residues essential for thiamine binding to the buckwheat-seed protein, 77
Thr-252 mutants – NMR studies of recombinant cytochrome P450cam mutants, 763
tissue-specific splicing – Tissue-specific splicing of two mutually exclusive exons of the chicken α-tropomyosin pre-mRNA: Positive and negative regulations, 457
tmRNA – Structural organization of *Escherichia coli* tmRNA, 979 – Structure and function of 10Sa RNA: *Trans*-translation system, 985
tna* operon of *E coli – Some novel transcription attenuation mechanisms used by bacteria, 1017
tonoplast – Allosteric regulation by Mg^{2+} of the vacuolar H^+-PPase from *Acer pseudoplatanus* cells. Ca^{2+}/Mg^{2+} interactions, 259
***trans*-translation** – Structure and function of 10Sa RNA: *Trans*-translation system, 985
transcription – By way of introduction: Some constraints of the cell physics that are usually forgotten, but should be taken into account for *in silico* genome analysis, 299 – RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins, 590
transcription attenuation – Some novel transcription attenuation mechanisms used by bacteria, 1017
transcription termination – Differential contributions of two elements of rho-independent terminator to transcription termination and mRNA stabilization, 1035
transcriptional regulation – Nonsense suppression in mammalian cells, 1007
transfection – Mammalian cell binding and transfection mediated by surface-modified bacteriophage λ, 856
transfer RNA – Editing and import: Strategies for providing plant mitochondria with a complete set of functional transfer RNAs, 518 – Aspartate identity of transfer RNAs, 605 – Conformational flexibility of tRNA: Structural changes in yeast tRNA Asp upon binding to aspartyl-tRNA synthetase, 624
transforming growth factor-beta-1 – Comparison of the action of transforming growth factor-α1 and interleukin-1α on matrix metabolism in the culture of porcine endothelial cells, 103
transition metals – Regulation of metallothionein gene expression. Studies in transfected primary cultures of chick embryo liver cells, 236
translatable nonsense codon – Nonsense suppression in mammalian cells, 1007
translation – By way of introduction: Some constraints of the cell physics that are usually forgotten, but should be taken into account for *in silico* genome analysis, 299 – Translational coupling in the *Escherichia coli* operon encoding translation initiation factor IF3 and ribosomal proteins L20 and L35, 555 – RNAs mediating cotranslational insertion of selenocysteine in eukaryotic selenoproteins, 590 – Functions of the 5′ leader of murine leukemia virus genomic RNA in virion structure, viral replication and pathogenesis, and MLV-derived vectors, 632 – Conservation and diversity in the structure of translation initiation factor eIF3 from humans and yeast, 903
translation elongation factors – The ribosome as 'affinity matrix': Efficient purification scheme for translation factors, 51
translation inhibition – Targeting RNA structures by antisense oligonucleotides, 663
translation initiation – The ribosome as 'affinity matrix': Efficient purification scheme for translation factors, 51 – Comparative analysis of the *cya* locus in enterobacteria and related Gram-negative facultative anaerobes, 277 – Molecular recognition governing the initiation of translation in *Escherichia coli*. A review, 543 – Pseudoknot and translational control in the expression of the S15 ribosomal protein, 568
translation termination – Influence of the last amino acid in the nascent peptide on EF-Tu during decoding, 953
translational compartmentation – A role for Rev in the association of HIV-1 gag mRNA with cytoskeletal β-actin and viral protein expression, 1075
translational error prevention – Dual functions of ribosome recycling factor in protein biosynthesis: Diassembling the determination complex and preventing translational errors, 959
translational factors – Messenger RNA translation in prokaryotes: GTPase centers associated with translational factors, 577
translational re-initiation – Dual functions of ribosome recycling factor in protein biosynthesis: Diassembling the determination complex and preventing translational errors, 959
translational regulation – Poly(A) metabolism in *Xenopus laevis* embryos: Substrate-specific and default poly(A) nuclease activities are mediated by two distinct complexes, 399
translational stop signal– The translation stop signal: Codon with a context, or extended factor recognition element?, 945
transposition – Role of RNA primers in initiation of minus-strand and plus-strand DNA synthesis of the yeast retrotransposon Ty1, 674
TransTerm– The translation stop signal: Codon with a context, or extended factor recognition element?, 945
tri(*n*-butyl)phosphate – Purification of fibroplast growth factor-2 from human placenta using tri(*n*-butyl)phosphate and sodium cholate, 190
TRIP-1 – Conservation and diversity in the structure of translation initiation factor eIF3 from humans and yeast, 903
triple helix – Targeting RNA structures by antisense oligonucleotides, 663
tRNA – Aminoacyl-tRNA synthetase gene regulation in *Bacillus subtilis*, 381 – Mechanisms of tRNA import into yeast mitochondria: An overview, 502 – Structural model for the selenocysteine-specific elongation factor SelB, 971 – Two nucleotides 5′-adjacent to the anticodon of rat cytoplasmic tRNA (Asp) are not edited, 1001
tRNA identity – Yeast tRNA Met recognition by methionyl-tRNA synthetase requires determinants from the primary, secondary and tertiary structure: A review, 597 – Codon reassignment in *Candida* species: An evolutionary conundrum, 993
tRNA mimicry – Functional specificity of amino acid at position 246 in the tRNA mimicry domain of bacterial release factor 2, 935
tRNA reporter gene – The *lacZ* mRNA can be stabilised by the T7 late mRNA leader in *E coli*, 408
tRNA U8G mutant – Effect of modified nucleotides on structure of yeast $tRNA^{Phe}$. Comparative studies by metal ion-induced hydrolysis and nuclease mapping, 131
$tRNA_3^{Lys}$ – Structural and functional evidence that initiation and elongation of HIV-1 reverse transcription are distinct processes, 1087
$tRNA^{Met}$ chimeras – Yeast tRNA Met recognition by methionyl-tRNA synthetase requires determinants from the primary, secondary and tertiary structure: A review, 597
$tRNA^{Phe}$ *in vitro* transcript – Effect of modified nucleotides on structure of yeast $tRNA^{Phe}$. Comparative studies by metal ion-induced hydrolysis and nuclease mapping, 131
trp* operon of *B subtilis – Some novel transcription attenuation mechanisms used by bacteria, 1017
trpS* of *B subtilis – Some novel transcription attenuation mechanisms used by bacteria, 1017
Ty elements – Role of RNA primers in initiation of minus-strand and plus-strand DNA synthesis of the yeast retrotransposon Ty1, 674
tyrosine kinase – Involvement of tyrosine kinase activity in the low-density lipoprotein receptor expression in human lung adenocarcinoma cell line A549, 874

U–V

U snRNA – Structural features of U6 snRNA and dynamic interactions with other spliceosomal components leading to pre-mRNA splicing, 436
U1 snRNA – A unique U5→A substitution in the *Physarum polycephalum* U1 snRNA: Evidence at the RNA and gene levels, 425
UAG suppressor glutamine tRNA gene – Nonsense suppression in mammalian cells, 1007
unfolding intermediates – Congo red-stabilized intermediates in the λ light chain transition from native to molten state, 183
vaccinia virus – Transcripts containing a small anti-HIV hammerhead ribozyme that are active in the cell cytoplasm but inactive *in vitro* as free RNAs, 654
vacuole – Allosteric regulation by Mg^{2+} of the vacuolar H^+-PPase from *Acer pseudoplatanus* cells. Ca^{2+}/Mg^{2+} interactions, 259
vanadate – Histone H4 stimulates glucose uptake through the insulin receptor, 39
vasoactive intestinal polypeptide analogs – Production, analysis and bioactivity of recombinant vasoactive intestinal peptide analogs, 14
vectorial representation – A simple vectorial representation of DNA sequences for the detection of replication origins in bacteria, 323
venom – Purification and characterization of acetylcholinesterase from desert cobra (*Walterinnesia aegyptia*) venom, 46
viral – mRNA decapping activities and their biological roles, 1049
virus inactivation – Purification of fibroplast growth factor-2 from human placenta using tri(*n*-butyl)phosphate and sodium cholate, 190

W–Z

wheat mitochondria – Control of gene expression by base deamination: The case of RNA editing in wheat mitochondria, 511
World Wide Web – WWW-Query: An on line retrieval system for biological sequence banks, 364
Xenopus laevis – Poly(A) metabolism in *Xenopus laevis* embryos: Substrate-specific and default poly(A) nuclease activities are mediated by two distinct complexes, 399
yeast – Role of RNA primers in initiation of minus-strand and plus-strand DNA synthesis of the yeast retrotransposon Ty1, 674 – Conservation and diversity in the structure of translation initiation factor eIF3 from humans and yeast, 903 – mRNA decapping activities and their biological roles, 1049
Yersinia intermedia – Comparative analysis of the *cya* locus in enterobacteria and related Gram-negative facultative anaerobes, 277
Yersinia pestis – Comparative analysis of the *cya* locus in enterobacteria and related Gram-negative facultative anaerobes, 277